Index to *JAPCA*, Volume 39

Author Index

Abbey, D. E.
Applications of a method for setting air quality standards based on epidemiological data, 437

Acharya, S.
Rotary kiln incineration III. An indepth study—kiln exit/afterburner/stack train and kiln exit pattern factor measurements during liquid CCl_4 processing, 944
Rotary kiln incineration IV. An indepth study—kiln exit, transition and afterburner sampling during liquid CCl_4 processing, 1073
Rotary kiln injection I. An indepth study—liquid injection, 63

Adams, R. M.
A reassessment of the economic effects of ozone on U.S. agriculture, 960

Ahmed, S.
Computer simulation of a municipal solid waste combustor, 1328

Al-Dhowalia, K. H.
Indoor-outdoor carbon monoxide concentrations at four sites in Riyadh, Saudi Arabia, 1100

Allen, R. J.
Emission of airborne bacteria from a hospital incinerator, 164

Altshuller, A. P.
Ambient air hydroxyl radical concentrations: measurements and model predictions, 704
Nonmethane organic compound to nitrogen oxide ratios and organic composition in cities and rural areas, 936

Andersson, K.
Monitoring of parts-per-billion levels of formaldehyde using a diffusive sampler, 44

Appel, B. R.
Measurement of the alkalinity of filter media, 58

Apte, M. G.
The impact of add-on catalytic devices on pollutant emissions from unvented kerosene heaters, 1228

Arnts, R. R.
Determination of room temperature OH rate constants for acetylene, ethylene dichloride, ethylene dibromide, p-dichlorobenzene and carbon disulfide, 453

Aronian, P. F.
Source fingerprints for receptor modeling of volatile organics, 469

Backman, R.
Nitrogen oxide emissions of boilers in Finland, 1496

Baker, L.
Characterization of emissions from a methanol fueled motor vehicle, 48

Baker, P. E.
Development of models for predicting the distribution of indoor nitrogen dioxide concentrations, 1169

Baldocchi, D. D.
A wind tunnel study to design large, open-top chambers for whole-tree pollutant exposure experiments, 1549

Barkenbus, B. D.
Industrial response to a waste minimization survey in Tennessee, 921

Barkenbus, J. N.
Industrial response to a waste minimization survey in Tennessee, 921

Barth, E.
Results of treatment evaluations of a contaminated synthetic soil, 294

Bates, B. A.
Source fingerprints for receptor modeling of volatile organics, 469

Bates, E. R.
The U.S. environmental protection agency's SITE emerging technology program, 927

Bedi, J. F.
Adaptation by older individuals repeatedly exposed to 0.45 parts per million ozone for two hours, 194
Alteration in carboxyhemoglobin concentrations during exposure to 9 ppm carbon monoxide for 8 hours at sea level and 2134 m altitude in a hypobaric chamber, 1323
Inhalation route effects on exposure to 2.0 parts per million sulfur dioxide in normal subjects, 1448

Bejcek, V.
Application of the active soda process for removing sulphur dioxide from flue gases, 1206

Bennett, R. L.
Characterization of particulate emissions from non-ferrous smelters, 169

Bierma, T. J.
Accuracy and precision of home radon monitoring and the effectiveness of EPA monitoring guidelines, 953

Biermann, H. W.
Time-resolved identification and measurement of indoor air pollutants by spectroscopic techniques: gaseous nitrous acid, methanol, formaldehyde and formic acid, 1344

Biersteker, K.
Pulmonary function changes associated with an air pollution episode in January 1987, 1444

Billick, I. H.
Development of models for predicting the distribution of indoor nitrogen dioxide concentrations, 1169

Blagden, P. A.
Air levels and mutagenicity of PM-10 in an indoor ice arena, 1583

Bocanegra, R.
Theoretical evaluation of indoor radon control using a carbon adsorption system, 305

Bonet, A.
A study of the impact of industrial fluoride emissions on a rural environment, 1098

Boström, S.
Nitrogen oxide emissions of boilers in Finland, 1496

Braddock, J.
Characterization of emissions from a methanol fueled motor vehicle, 48

Bradley, P. A.
Report of the Fifth Canadian Environmental Government Affairs Seminar: a strategy for sustainable development, 139

Brennan, E.
Differential cadmium accumulation and phytotoxicity in sixteen tobacco cultivars, 1319

Brenniman, G. R.
Emission of airborne bacteria from a hospital incinerator, 164

Britt, R. M.
Rotary kiln incineration II. Laboratory-scale desorption and kiln-simulator studies—solids, 187

Brown, M. S.
Evaluation of a statewide matching grant program for the collection of household hazardous waste, 427

Brunekreef, B.
Indoor exposure to airborne particles and nitrogen dioxide during an air pollution episode, 1348
Potentially allergenic airborne particles in the vicinity of a yeast and penicillin production plant, 1094
Pulmonary function changes associated with an air pollution episode in January 1987, 1444

Brunia, A.
Some physico-chemical aspects of dry sorbent injection for removal of HCl and HF from waste incinerator flue gases, 55

Buedel, T.
Sampling and analysis experiments for improved characterization of products of incomplete combustion, 969

Bufalini, J. J.
Determination of room temperature OH rate constants for acetylene, ethylene dichloride, ethylene dibromide, p-dichlorobenzene and carbon disulfide, 453

Bunce, N. J.
Atmospheric chemistry of chlorinated phenols, 820

Burbank, B.
Development of models for predicting the distribution of indoor nitrogen dioxide concentrations, 1169

Bursey, J.
Sampling and analysis experiments for improved characterization of products of incomplete combustion, 969

Caldwell, S.
Overview of proposed revisions to the superfund hazard ranking system, 801

Carr, J. F.
An experimental study of hopper evacuation effects on multitube cyclone performance, 1614

Cass, G. R.
Chemical characteristics of PM_{10} aerosols collected in the Los Angeles area, 154

Castaldini, C.
Derivation of oxygen correction factors for oxygen-enriched incinerators, 1462

Chameides, W. L.
Ozone trends in Atlanta, Georgia: have emission controls been effective?, 40

Chang, R. L.
Determination of baghouse performance from coal and ash properties: Part I, 228
Determination of baghouse performance from coal and ash properties: Part II, 361

Chen, S. L.
Optimization of reburning for advanced NO_x control on coal-fired boilers, 1375

Chock, D. P.
The need for a more robust ozone air quality standard, 1063

Chow, J. C.
Receptor models in air resources management: A summary of the APCA International Specialty Conference, 419

Chu, P.
Removal of SO_2 and N_x from stack gas by reaction with calcium hydroxide solids, 175

Cichanowicz, J. E.
Stationary combustion NO_x control: a summary of the 1989 symposium, 1131

Clarke, B. B.
Differential cadmium accumulation and phytotoxicity in sixteen tobacco cultivars, 1319

Cohen, M. A.
Indoor/outdoor measurements of volatile organic compounds in the Kanawha Valley of West Virginia, 1086
Observations less than the analytical limit of detection: a new approach, 328

Cole, J. A.
Errors in grab sample measurements of N_2O from combustion sources, 287

Colome, S. D.
Development of models for predicting the distribution of indoor nitrogen dioxide concentrations, 1169
The new standard environmental inventory questionnaire for estimation of indoor concentrations, 1411

Connell, P. S.
The role of atmospheric chemistry in climate change, 22

Index to *JAPCA*, Volume 39

Author Index

Abbey, D. E.
Applications of a method for setting air quality standards based on epidemiological data, 437

Acharya, S.
Rotary kiln incineration III. An indepth study—kiln exit/afterburner/stack train and kiln exit pattern factor measurements during liquid CCl_4 processing, 944
Rotary kiln incineration IV. An indepth study—kiln exit, transition and afterburner sampling during liquid CCl_4 processing, 1073
Rotary kiln injection I. An indepth study—liquid injection, 63

Adams, R. M.
A reassessment of the economic effects of ozone on U.S. agriculture, 960

Ahmed, S.
Computer simulation of a municipal solid waste combustor, 1328

Al-Dhowalia, K. H.
Indoor-outdoor carbon monoxide concentrations at four sites in Riyadh, Saudi Arabia, 1100

Allen, R. J.
Emission of airborne bacteria from a hospital incinerator, 164

Altshuller, A. P.
Ambient air hydroxyl radical concentrations: measurements and model predictions, 704
Nonmethane organic compound to nitrogen oxide ratios and organic composition in cities and rural areas, 936

Andersson, K.
Monitoring of parts-per-billion levels of formaldehyde using a diffusive sampler, 44

Appel, B. R.
Measurement of the alkalinity of filter media, 58

Apte, M. G.
The impact of add-on catalytic devices on pollutant emissions from unvented kerosene heaters, 1228

Arnts, R. R.
Determination of room temperature OH rate constants for acetylene, ethylene dichloride, ethylene dibromide, p-dichlorobenzene and carbon disulfide, 453

Aronian, P. F.
Source fingerprints for receptor modeling of volatile organics, 469

Backman, R.
Nitrogen oxide emissions of boilers in Finland, 1496

Baker, L.
Characterization of emissions from a methanol fueled motor vehicle, 48

Baker, P. E.
Development of models for predicting the distribution of indoor nitrogen dioxide concentrations, 1169

Baldocchi, D. D.
A wind tunnel study to design large, open-top chambers for whole-tree pollutant exposure experiments, 1549

Barkenbus, B. D.
Industrial response to a waste minimization survey in Tennessee, 921

Barkenbus, J. N.
Industrial response to a waste minimization survey in Tennessee, 921

Barth, E.
Results of treatment evaluations of a contaminated synthetic soil, 294

Bates, B. A.
Source fingerprints for receptor modeling of volatile organics, 469

Bates, E. R.
The U.S. environmental protection agency's SITE emerging technology program, 927

Bedi, J. F.
Adaptation by older individuals repeatedly exposed to 0.45 parts per million ozone for two hours, 194
Alteration in carboxyhemoglobin concentrations during exposure to 9 ppm carbon monoxide for 8 hours at sea level and 2134 m altitude in a hypobaric chamber, 1323
Inhalation route effects on exposure to 2.0 parts per million sulfur dioxide in normal subjects, 1448

Bejcek, V.
Application of the active soda process for removing sulphur dioxide from flue gases, 1206

Bennett, R. L.
Characterization of particulate emissions from non-ferrous smelters, 169

Bierma, T. J.
Accuracy and precision of home radon monitoring and the effectiveness of EPA monitoring guidelines, 953

Biermann, H. W.
Time-resolved identification and measurement of indoor air pollutants by spectroscopic techniques: gaseous nitrous acid, methanol, formaldehyde and formic acid, 1344

Biersteker, K.
Pulmonary function changes associated with an air pollution episode in January 1987, 1444

Billick, I. H.
Development of models for predicting the distribution of indoor nitrogen dioxide concentrations, 1169

Blagden, P. A.
Air levels and mutagenicity of PM-10 in an indoor ice arena, 1583

Bocanegra, R.
Theoretical evaluation of indoor radon control using a carbon adsorption system, 305

Bonet, A.
A study of the impact of industrial fluoride emissions on a rural environment, 1098

Boström, S.
Nitrogen oxide emissions of boilers in Finland, 1496

Braddock, J.
Characterization of emissions from a methanol fueled motor vehicle, 48

Bradley, P. A.
Report of the Fifth Canadian Environmental Government Affairs Seminar: a strategy for sustainable development, 139

Brennan, E.
Differential cadmium accumulation and phytotoxicity in sixteen tobacco cultivars, 1319

Brenniman, G. R.
Emission of airborne bacteria from a hospital incinerator, 164

Britt, R. M.
Rotary kiln incineration II. Laboratory-scale desorption and kiln-simulator studies—solids, 187

Brown, M. S.
Evaluation of a statewide matching grant program for the collection of household hazardous waste, 427

Brunekreef, B.
Indoor exposure to airborne particles and nitrogen dioxide during an air pollution episode, 1348
Potentially allergenic airborne particles in the vicinity of a yeast and penicillin production plant, 1094
Pulmonary function changes associated with an air pollution episode in January 1987, 1444

Brunia, A.
Some physico-chemical aspects of dry sorbent injection for removal of HCl and HF from waste incinerator flue gases, 55

Buedel, T.
Sampling and analysis experiments for improved characterization of products of incomplete combustion, 969

Bufalini, J. J.
Determination of room temperature OH rate constants for acetylene, ethylene dichloride, ethylene dibromide, p-dichlorobenzene and carbon disulfide, 453

Bunce, N. J.
Atmospheric chemistry of chlorinated phenols, 820

Burbank, B.
Development of models for predicting the distribution of indoor nitrogen dioxide concentrations, 1169

Bursey, J.
Sampling and analysis experiments for improved characterization of products of incomplete combustion, 969

Caldwell, S.
Overview of proposed revisions to the superfund hazard ranking system, 801

Carr, J. F.
An experimental study of hopper evacuation effects on multitube cyclone performance, 1614

Cass, G. R.
Chemical characteristics of PM_{10} aerosols collected in the Los Angeles area, 154

Castaldini, C.
Derivation of oxygen correction factors for oxygen-enriched incinerators, 1462

Chameides, W. L.
Ozone trends in Atlanta, Georgia: have emission controls been effective?, 40

Chang, R. L.
Determination of baghouse performance from coal and ash properties: Part I, 228
Determination of baghouse performance from coal and ash properties: Part II, 361

Chen, S. L.
Optimization of reburning for advanced NO_x control on coal-fired boilers, 1375

Chock, D. P.
The need for a more robust ozone air quality standard, 1063

Chow, J. C.
Receptor models in air resources management: A summary of the APCA International Specialty Conference, 419

Chu, P.
Removal of SO_2 and N_x from stack gas by reaction with calcium hydroxide solids, 175

Cichanowicz, J. E.
Stationary combustion NO_x control: a summary of the 1989 symposium, 1131

Clarke, B. B.
Differential cadmium accumulation and phytotoxicity in sixteen tobacco cultivars, 1319

Cohen, M. A.
Indoor/outdoor measurements of volatile organic compounds in the Kanawha Valley of West Virginia, 1086
Observations less than the analytical limit of detection: a new approach, 328

Cole, J. A.
Errors in grab sample measurements of N_2O from combustion sources, 287

Colome, S. D.
Development of models for predicting the distribution of indoor nitrogen dioxide concentrations, 1169
The new standard environmental inventory questionnaire for estimation of indoor concentrations, 1411

Connell, P. S.
The role of atmospheric chemistry in climate change, 22

Cooper, C. D.
Persistence factors for mobile source (roadway) carbon monoxide modeling, 714
Cox, L. A., Jr.
Acceptable cancer risks: probabilities and beyond, 1046
Cranford, B.
Hazardous waste minimization: Part XI. Federally sponsored waste minimization research and development for hazardous and non-hazardous wastes, 34
Crews, W.
Characterization of emissions from a methanol fueled motor vehicle, 48
Croke, K. G.
Accuracy and precision of home radon monitoring and the effectiveness of EPA monitoring guidelines, 953
Cundy, V. A.
Rotary kiln incineration II. Laboratory-scale desorption and kiln-simulator studies—solids, 187
Rotary kiln incineration III. An indepth study—kiln exit/afterburner/stack train and kiln exit pattern factor measurements during liquid CCl_4 processing, 944
Rotary kiln incineration IV. An indepth study—kiln exit, transition and afterburner sampling during liquid CCl_4 processing, 1073
Rotary kiln injection I. An indepth study—liquid injection, 63
Cvencek, S. J.
An analysis of visual range in the eastern United States under different meteorological regimes, 200
Dasgupta, P. K.
Measurement of trace levels of atmospheric sulfur dioxide with a gold film sensor, 975
Davidson, A.
Chemical characteristics of PM_{10} aerosols collected in the Los Angeles area, 154
Davis, C. O.
Characterization of emissions from a methanol fueled motor vehicle, 48
Davis, D. D.
Evaluation of vegetation near coal-burning power plants in Southwestern Pennsylvania. Part I. Sulfur content of foliage, 1440
Davis, M. L.
Microcomputer Software Reviews, 734, 984, 1231, 1469
Decker, C. E.
Accuracy assessment of EPA protocol gases in 1988, 1225
Dellinger, B.
On the relationship between CO, POHC, and PIC emissions from a simulated hazardous waste incinerator, 321
DeMarini, D. M.
Chemical and biological characterization of products of incomplete combustion from the simulated field burning of agricultural plastic, 836
de Percin, P. R.
SITE program update: Part III. Description of EPA SITE demonstration of the Hazcon stabilization process at the Douglassville, Pennsylvania superfund site, 282
Diaz-Caneja, N.
A study of the impact of industrial fluoride emissions on a rural environment, 1098
Dignon, J.
Global emissions of nitrogen and sulfur oxides from 1860 to 1980, 180
Dochinger, L. S.
Response of eastern hardwood species to ozone, sulfur dioxide and acid precipitation, 852
Doty, C. B.
The superfund remedial action decision process: a review of fifty records of decision, 1535
Drechsler-Parks, D. M.
Adaptation by older individuals repeatedly exposed to 0.45 parts per million ozone for two hours, 194
Drye, E. E.
Development of models for predicting the distribution of indoor nitrogen dioxide concentrations, 1169
Duncan, J.
Characterization of emissions from a methanol fueled motor vehicle, 48
Dwyer, J. P.
Acceptable cancer risks: probabilities and beyond, 1046
Edgerton, S. A.
Inter-urban comparison of ambient volatile organic compound concentrations in U.S. cities, 729
Edney, E. O.
Ozone production from irradiation of acetylene/chlorine mixtures in air, 1467
Eikmeier, M.
Advanced concepts in FGD technology: the SHU process with cooling tower discharge, 1262
Ellis, H. M.
Estimating fugitive emissions of volatile compounds from equipment leaks, 1619
Engelgau, D.
Washington report, 4, 126, 256, 402, 564, 790, 904, 1026, 1156, 1286, 1400, 1522
Epstein, P. S.
Indoor/outdoor measurements of volatile organic compounds in the Kanawha Valley of West Virginia, 1086
Erdos, E.
Application of the active soda process for removing sulphur dioxide from flue gases, 1206
Eskinazi, D.
Stationary combustion NO_x control: a summary of the 1989 symposium, 1131
Esposito, P.
Results of treatment evaluations of a contaminated synthetic soil, 294
Estes, E. D.
Comparison of the annular denuder system and the transition flow reactor for measurements of selected dry deposition species, 1218
Euler, G. L.
Applications of a method for setting air quality standards based on epidemiological data, 437
Fall, T.
Chemical characteristics of PM_{10} aerosols collected in the Los Angeles area, 154
Fernandez, E.
A study of the impact of industrial fluoride emissions on a rural environment, 1098
Fernandez, P. L.
A study of the impact of industrial fluoride emissions on a rural environment, 1098
Finlayson-Pitts, B. J.
Effects of oxidant air pollutants on pulmonary surfactant using two isolation procedures, 479
Fischer, P.
Pulmonary function changes associated with an air pollution episode in January 1987, 1444
Fisher, A.
Communicating risk under Title III of SARA: strategies for explaining very small risks in a community context, 271
Fitzgerald, B.
Use of bioassay methods to evaluate mutagenicity of ambient air collected near a municipal waste combustor, 1436
Fitzner, C. A.
Measurement of ozone levels by ship along the Eastern Shore of Lake Michigan, 727
Fradkin, L.
Use of bioassay methods to evaluate mutagenicity of ambient air collected near a municipal waste combustor, 1436
Frenette, R.
Effect of refractory on the thermal stability of SF_6, 310
Freudenthal, P. C.
Health risks of short-term SO_2 exposure to exercising asthmatics, 831
Froehlich, D. A.
The impact of add-on catalytic devices on pollutant emissions from unvented kerosene heaters, 1228
Fuerst, R. G.
Evaluation of canisters for measuring emissions of volatile organic air pollutants from hazardous waste incineration, 1210
Sampling and analysis experiments for improved characterization of products of incomplete combustion, 969
Garabedian, H.
Use of bioassay methods to evaluate mutagenicity of ambient air collected near a municipal waste combustor, 1436
Garg, S.
Derivation of oxygen correction factors for oxygen-enriched incinerators, 1462
Gay, B. W., Jr.
Ozone production from irradiation of acetylene/chlorine mixtures in air, 1467
Georghiou, P. E.
Air levels and mutagenicity of PM-10 in an indoor ice arena, 1583
Gholson, A. R.
Evaluation of canisters for measuring emissions of volatile organic air pollutants from hazardous waste incineration, 1210
Girovich, M. J.
Performance of high-temperature slagging rotary kiln incinerator, 884
Giyer, J. D.
A reassessment of the economic effects of ozone on U.S. agriculture, 960
Glamser, J.
Advanced concepts in FGD technology: the SHU process with cooling tower discharge, 1262
Goldwater, C. S.
Evaluation of a statewide matching grant program for the collection of household hazardous waste, 427
Grant, K. E.
The role of atmospheric chemistry in climate change, 22
Gray, H. A.
Chemical characteristics of PM_{10} aerosols collected in the Los Angeles area, 154
Green, C.
Air quality management in Los Angeles: perspectives on past and future emission control strategies, 696
Green, M.
Time-resolved identification and measurement of indoor air pollutants by spectroscopic techniques: gaseous nitrous acid, methanol, formaldehyde and formic acid, 1344
Halberstadt, M. L.
MVMA newsletter, 268, 1166
Halitsky, J.
A jet plume model for short stacks, 856
Hall, R. E.
Stationary combustion NO_x control: a summary of the 1989 symposium, 1131
Hameed, S.
Global emissions of nitrogen and sulfur oxides from 1860 to 1980, 180
Hammerstrom, T.
Health risks of short-term SO_2 exposure to exercising asthmatics, 831
Hardison, D. L.
Comparison of the annular denuder system and the transition flow reactor for measurements of selected dry deposition species, 1218
Harrell, R. M.
Measurement of the alkalinity of filter media, 58
Harrington, J. S.
Site program update: Part IV. Quality assurance for the SITE program demonstrations, 431
Hayes, S. R.
Estimating the effect of being indoors on total personal exposure to outdoor air pollution, 1453
Heck, H. H.
The impact of increased recycle rates on markets in Florida, 1544
Heederik, D.
Potentially allergenic airborne particles in the vicinity of a yeast and penicillin production plant, 1094
Heil, G.
Use of bioassay methods to evaluate mutagenicity of ambient air collected near a municipal waste combustor, 1436
Hein, A. G.
Dust reentrainment, gas distribution and electrostatic precipitator performance, 766
Helt, J. E.
Computer simulation of a municipal solid waste combustor, 1328
Hendricks, J. C.
Trace element content of *Flavoparmelia caperata* (L.) hale due to industrial emissions, 317
Herrmann, J. G.
The U.S. environmental protection agency's SITE emerging technology program, 927
Hessling, J.
Results of treatment evaluations of a contaminated synthetic soil, 294

Hetrick, T. L.
Comparison of enhanced and routine methods for measuring ambient low-level sulfur dioxide, 981
Hill, R. D.
SITE program update: Part I. Overview of the Superfund Innovative Technology Evaluation (SITE) Program, 16
Hisamatsu, Y.
Measurement of trace levels of atmospheric sulfur dioxide with a gold film sensor, 975
Hochheiser, S.
Summary of the 1989 EPA/A&WMA International Symposium: measurement of toxic and related air pollutants, 1420
Hodgkin, J. E.
Applications of a method for setting air quality standards based on epidemiological data, 437
Hodson, L. L.
Comparison of the annular denuder system and the transition flow reactor for measurements of selected dry deposition species, 1218
Hoek, G.
Indoor exposure to airborne particles and nitrogen dioxide during an air pollution episode, 1348
Pulmonary function changes associated with an air pollution episode in January 1987, 1444
Hofschreuder, P.
Indoor exposure to airborne particles and nitrogen dioxide during an air pollution episode, 1348
Pulmonary function changes associated with an air pollution episode in January 1987, 1444
Holdren, M. W.
Inter-urban comparison of ambient volatile organic compound concentrations in U.S. cities, 729
Holland, J. C.
Measurement of the alkalinity of filter media, 58
Hollander, A.
Potentially allergenic airborne particles in the vicinity of a yeast and penicillin production plant, 1094
Homolya, J. B.
Sampling and analysis experiments for improved characterization of products of incomplete combustion, 969
Hopke, P. K.
Theoretical evaluation of indoor radon control using a carbon adsorption system, 305
Horvath, S. M.
Adaptation by older individuals repeatedly exposed to 0.45 parts per million ozone for two hours, 194
Alteration in carboxyhemoglobin concentrations during exposure to 9 ppm carbon monoxide for 8 hours at sea level and 2134 m altitude in a hypobaric chamber, 1323
Inhalation route effects on exposure to 2.0 parts per million sulfur dioxide in normal subjects, 1448
Hu, F.-C.
Particulate and nicotine sampling in public facilities and offices, 1577
Huffman, G. L.
On the relationship between CO, POHC, and PIC emissions from a simulated hazardous waste incinerator, 321
Hupa, M.
Nitrogen oxide emissions of boilers in Finland, 1496
Hutnik, R. J.
Evaluation of vegetation near coal-burning power plants in Southwestern Pennsylvania. Part I. Sulfur content of foliage, 1440
James, R. H.
Screening approach for principal organic hazardous constituents and products of incomplete combustion, 709
James, S. C.
Summary of the NATO/CCMS Conference. The demonstration of remedial action technologies for contaminated land and groundwater, 1178
Jayanty, R. K. M.
Evaluation of canisters for measuring emissions of volatile organic air pollutants from hazardous waste incineration, 1210
Summary of the 1989 EPA/A&WMA International Symposium: measurement of toxic and related air pollutants, 1420
Jensen, K. F.
Response of eastern hardwood species to ozone, sulfur dioxide and acid precipitation, 852
Jewell, N. P.
Predicting respiratory morbidity from pulmonary function tests: a reanalysis of ozone chamber studies, 1313
Johnson, L. D.
Screening approach for principal organic hazardous constituents and products of incomplete combustion, 709
Johnson, S. L.
A reassessment of the economic effects of ozone on U.S. agriculture, 960
Johnston, J. W.
A wind tunnel study to design large, open-top chambers for whole-tree pollutant exposure experiments, 1549
Kaneko, M.
Basic research on the emission of polycyclic aromatic hydrocarbons caused by waste incineration, 1557
Kearley, J. A.
Mass burn incineration with a presorted MSW fuel, 511
Kelley, B. G.
Evaluation of a statewide matching grant program for the collection of household hazardous waste, 427
Kenny, G. R.
Mass burn incineration with a presorted MSW fuel, 511
Kerr, C. P.
Predicting the performance of particulate control equipment, 1585
Knapp, K. T.
Characterization of particulate emissions from non-ferrous smelters, 169
Knoll, J. H.
The basic economics of hydrocarbon vapor control, 1008
Knott, S.
EPRI newsletter, 574, 1035, 1409
Kohanek, J. J.
Using mediation to reach voluntary superfund settlement agreements, 1297
Kokkinos, A.
Reburning for cyclone boiler NO_x control, 107
Kollander, M.
The new standard environmental inventory questionnaire for estimation of indoor concentrations, 1411
Kolstad, C. D.
Aggregate source-receptor relations for economic analysis of ambient regulations, 824
Korzun, E. A.
The impact of increased recycle rates on markets in Florida, 1544
Kothny, E. L.
Measurement of the alkalinity of filter media, 58
Kramlich, J. C.
Errors in grab sample measurements of N_2O from combustion sources, 287
Optimization of reburning for advanced NO_x control on coal-fired boilers, 1375
Krupa, S. V.
Important considerations for establishing a secondary ozone standard to protect vegetation, 1039
Kumar, R.
Computer simulation of a municipal solid waste combustor, 1328
Lackaye, R.
Estimating fugitive emissions of volatile compounds from equipment leaks, 1619
Lebowitz, M. D.
The new standard environmental inventory questionnaire for estimation of indoor concentrations, 1411
Lefohn, A. S.
Important considerations for establishing a secondary ozone standard to protect vegetation, 1039
The computer corner, 10, 136, 266, 414, 576, 798, 911, 1036, 1276, 1510, 1532
Leger, C. B.
Rotary kiln incineration III. An indepth study—kiln exit/afterburner/stack train and kiln exit pattern factor measurements during liquid CCl_4 processing, 944
Rotary kiln incineration IV. An indepth study—kiln exit, transition and afterburner sampling during liquid CCl_4 processing, 1073
Rotary kiln injection I. An indepth study—liquid injection, 63
Lents, J. M.
Air quality management in Los Angeles: perspectives on past and future emission control strategies, 696
Lester, T. W.
Rotary kiln incineration III. An indepth study—kiln exit/afterburner/stack train and kiln exit pattern factor measurements during liquid CCl_4 processing, 944
Rotary kiln incineration IV. An indepth study—kiln exit, transition and afterburner sampling during liquid CCl_4 processing, 1073
Rotary kiln injection I. An indepth study—liquid injection, 63
Levin, J.-O.
Monitoring of parts-per-billion levels of formaldehyde using a diffusive sampler, 44
Levin, M. H.
Environmental Trends Department, 29, 128, 566, 1028, 1402
Lewtas, J.
Use of bioassay methods to evaluate mutagenicity of ambient air collected near a municipal waste combustor, 1436
Lichtenstein, C.
Health risks of short-term SO_2 exposure to exercising asthmatics, 831
Liem, A. J.
Effect of refractory on the thermal stability of SF_6, 310
Lighty, J. S.
Rotary kiln incineration II. Laboratory-scale desorption and kiln-simulator studies—solids, 187
Ligtvoet, A. C. P.
Some physico-chemical aspects of dry sorbent injection for removal of HCl and HF from waste incinerator flue gases, 55
Linak, W. P.
Chemical and biological characterization of products of incomplete combustion from the simulated field burning of agricultural plastic, 836
Stationary combustion NO_x control: a summary of the 1989 symposium, 1131
Lindahl, R.
Monitoring of parts-per-billion levels of formaldehyde using a diffusive sampler, 44
Lindsay, R. W.
Ozone trends in Atlanta, Georgia: have emission controls been effective?, 40
Lipfert, F. W.
Dry deposition velocity as an indicator for SO_2 damage to materials, 446
Lippert, E.
Application of the active soda process for removing sulphur dioxide from flue gases, 1206
Lippmann, M.
Health effects of ozone: a critical review, 672
Health effects of ozone. Critical review discussion papers, 1185
Lipsett, M. J.
Predicting respiratory morbidity from pulmonary function tests: a reanalysis of ozone chamber studies, 1313
Lloyd, A. C.
Air quality management in Los Angeles: perspectives on past and future emission control strategies, 696
Locke, B. B.
Results of treatment evaluations of a contaminated synthetic soil, 294
Logan, T. J.
Evaluation of canisters for measuring emissions of volatile organic air pollutants from hazardous waste incineration, 1210
Sampling and analysis experiments for improved characterization of products of incomplete combustion, 969
Logue, R. R.
Emission of airborne bacteria from a hospital incinerator, 164
Long, W. D.
Time-resolved identification and measurement of indoor air pollutants by spectroscopic techniques: gaseous nitrous acid, methanol, formaldehyde and formic acid, 1344
Lumens, M.
Pulmonary function changes associated with an air pollution episode in January 1987, 1444
Lyon, R. K.
Errors in grab sample measurements of N_2O from combustion sources, 287

McCarl, B. A.
A reassessment of the economic effects of ozone on U.S. agriculture, 960
McCarthy, J. M.
Errors in grab sample measurements of N_2O from combustion sources, 287
McClellan, R. O.
Health effects of ozone. Critical review discussion papers, 1185
McClelland, G. H.
Communicating risk under Title III of SARA: strategies for explaining very small risks in a community context, 271
McClenahen, J. R.
Evaluation of vegetation near coal-burning power plants in Southwestern Pennsylvania. Part I. Sulfur content of foliage, 1440
McElroy, J. L.
Split-level plumes, 847
McGown, M. R.
Split-level plumes, 847
McIlvaine, R. W.
Air and waste management markets in a shrinking world, 277
McKee, D.
Health effects of ozone. Critical review discussion papers, 1185
Magie, A. R.
Applications of a method for setting air quality standards based on epidemiological data, 437
Manier, M. L.
Screening approach for principal organic hazardous constituents and products of incomplete combustion, 709
Mansour, M. E.
Indoor-outdoor carbon monoxide concentrations at four sites in Riyadh, Saudi Arabia, 1100
Mathai, C. V.
Design and testing of a new size classifying isokinetic sequential aerosol sampler, 1569
Receptor models in air resources management: A summary of the APCA International Specialty Conference, 419
Mautz, W. J.
Effects of oxidant air pollutants on pulmonary surfactant using two isolation procedures, 479
Midgett, M. R.
Evaluation of canisters for measuring emissions of volatile organic air pollutants from hazardous waste incineration, 1210
Sampling and analysis experiments for improved characterization of products of incomplete combustion, 969
Screening approach for principal organic hazardous constituents and products of incomplete combustion, 709
Miesner, E. A.
Particulate and nicotine sampling in public facilities and offices, 1577
Mocek, K.
Application of the active soda process for removing sulphur dioxide from flue gases, 1206
Montestruc, A. N.
Rotary kiln incineration III. An indepth study—kiln exit/afterburner/stack train and kiln exit pattern factor measurements during liquid CCl_4 processing, 944
Rotary kiln incineration IV. An indepth study—kiln exit, transition and afterburner sampling during liquid CCl_4 processing, 1073
Rotary kiln injection I. An indepth study—liquid injection, 63
Montgomery, T. A.
Continuous infrared analysis of N_2O in combustion products, 721
Moore, J. K.
Applications of a method for setting air quality standards based on epidemiological data, 437
Morse, H. N.
C. Greene Equipment Corporation v. Electron Corporation, 1149
Concerned Citizens of Bridesburg v. Philadelphia, 249
The Detroit Edison Company v. Michigan Air Pollution Control Commission, 395
In the matter of New York State Superfund Coalition, Inc. v. New York State Department of Environmental Conservation, 1677
In the matter of Service Station Dealers of Greater New York, Inc. v. New York State Dept. of Environmental Conservation, 1393
In the matter of Vulcan Materials Company, 783
Navistar International Transportation Corporation v. United States Environmental Protection Agency, 897
Penick v. Commission on Natural Resources, 1279
Riverside Cement Company v. Lee M. Thomas, 557
State of New Jersey, Department of Environmental Protection v. Arky's Sales, 118
United States of America v. Alcan Foil Products Division of Alcan Aluminum Corporation, 986
United States of America v. Vanguard Corporation, 1515
Morse, J. S.
Rotary kiln incineration III. An indepth study—kiln exit/afterburner/stack train and kiln exit pattern factor measurements during liquid CCl_4 processing, 944
Rotary kiln incineration IV. An indepth study—kiln exit, transition and afterburner sampling during liquid CCl_4 processing, 1073
Rotary kiln injection I. An indepth study—liquid injection, 63
Mournighan, R. E.
SITE program update: Part II. The SITE demonstration of the American combustion pyretron oxygen-enhanced burner, 149
Muzio, L. J.
Continuous infrared analysis of N_2O in combustion products, 721
Errors in grab sample measurements of N_2O from combustion sources, 287
Naik, D. V.
Indoor ozone exposures, 1562
Nakai, J. S.
Atmospheric chemistry of chlorinated phenols, 820
Nelson, C. B.
EPA's perspective on risks from residential radon exposure, 915
Nelson, W.
Particulate and nicotine sampling in public facilities and offices, 1577
Nemeth, P.
Air quality management in Los Angeles: perspectives on past and future emission control strategies, 696
Neuzil, L.
Application of the active soda process for removing sulphur dioxide from flue gases, 1206
Olexsey, R. A.
On the relationship between CO, POHC, and PIC emissions from a simulated hazardous waste incinerator, 321
SITE program update: an introduction, 15
SITE program update: Part I. Overview of the Superfund Innovative Technology Evaluation (SITE) Program, 16
The SITE demonstration of the Shirco electric infrared incinerator, 815
Olson, R. F.
Measurement of ozone levels by ship along the Eastern Shore of Lake Michigan, 727
Olszyna, K. J.
Comparison of enhanced and routine methods for measuring ambient low-level sulfur dioxide, 981
Ootsuka, Y.
Basic research on the emission of polycyclic aromatic hydrocarbons caused by waste incineration, 1557
Orchard, D.
Report from Canada, 258, 796, 1158
Ortiz, A.
Overview of proposed revisions to the superfund hazard ranking system, 801
Ostro, B. D.
Predicting respiratory morbidity from pulmonary function tests: a reanalysis of ozone chamber studies, 1313
Owens, W. D.
Rotary kiln incineration II. Laboratory-scale desorption and kiln-simulator studies—solids, 187
Özkaynak, H.
Development of models for predicting the distribution of indoor nitrogen dioxide concentrations, 1169
Indoor/outdoor measurements of volatile organic compounds in the Kanawha Valley of West Virginia, 1086
Particulate and nicotine sampling in public facilities and offices, 1577
Pandompatam, B.
Effect of refractory on the thermal stability of SF_6, 310
Paur, R. J.
Comparison of the annular denuder system and the transition flow reactor for measurements of selected dry deposition species, 1218
Penner, J. E.
The role of atmospheric chemistry in climate change, 22
Perry, E.
Chemical and biological characterization of products of incomplete combustion from the simulated field burning of agricultural plastic, 836
Perry, N.
Characterization of emissions from a methanol fueled motor vehicle, 48
Pershing, D. W.
Optimization of reburning for advanced NO_x control on coal-fired boilers, 1375
Rotary kiln incineration II. Laboratory-scale desorption and kiln-simulator studies—solids, 187
Rotary kiln injection I. An indepth study—liquid injection, 63
Peters, J. E.
An experimental study of hopper evacuation effects on multitube cyclone performance, 1614
Petersen, F.
Applications of a method for setting air quality standards based on epidemiological data, 437
Petzel, H.-K.
Advanced concepts in FGD technology: the SHU process with cooling tower discharge, 1262
Ping, L.
Measurement of trace levels of atmospheric sulfur dioxide with a gold film sensor, 975
Pitchford, M. L.
Split-level plumes, 847
Pitts, J. N., Jr.
Time-resolved identification and measurement of indoor air pollutants by spectroscopic techniques: gaseous nitrous acid, methanol, formaldehyde and formic acid, 1344
Porter, W. K.
The impact of add-on catalytic devices on pollutant emissions from unvented kerosene heaters, 1228
Preller, L.
Particulate and nicotine sampling in public facilities and offices, 1577
Potentially allergenic airborne particles in the vicinity of a yeast and penicillin production plant, 1094
Prowell, G. H.
Split-level plumes, 847
Puskin, J. S.
EPA's perspective on risks from residential radon exposure, 915
Quackenboss, J. J.
The new standard environmental inventory questionnaire for estimation of indoor concentrations, 1411
Quindos, L. S.
A study of the impact of industrial fluoride emissions on a rural environment, 1098
Ray, W.
Characterization of emissions from a methanol fueled motor vehicle, 48
Reisinger, L. M.
Comparison of enhanced and routine methods for measuring ambient low-level sulfur dioxide, 981
Renn, O.
Risk communication at the community level: European lessons from the Seveso directive, 1301
Ricci, P. F.
Acceptable cancer risks: probabilities and beyond, 1046
Richards, M. K.
On the relationship between CO, POHC, and PIC emissions from a simulated hazardous waste incinerator, 321
The present and future EPA incineration research facility, 1309
Richardson, J. L.
Ozone trends in Atlanta, Georgia: have emission controls been effective?, 40
Rickman, E. E., Jr.
Comparison of the annular denuder system and the transition flow reactor for measurements of selected dry deposition species, 1218

Rochelle, G. T.
Removal of SO_2 and N_x from stack gas by reaction with calcium hydroxide solids, 175

Rodenhausen, G. A.
Environmental Litigation Department, 6, 404, 906, 1288

Rogers, C.
Results of treatment evaluations of a contaminated synthetic soil, 294

Rogers, C. F.
Design and testing of a new size classifying isokinetic sequential aerosol sampler, 1569

Romo-Kroger, C. M.
Measurable electrostatic effects in Nuclepore filters, 1465

Roos, C. E.
Mass burn incineration with a presorted MSW fuel, 511

Rosenthal, S.
The SITE demonstration of the Shirco electric infrared incinerator, 815

Roth, H. D.
Health risks of short-term SO_2 exposure to exercising asthmatics, 831

Rowe, D. R.
Indoor-outdoor carbon monoxide concentrations at four sites in Riyadh, Saudi Arabia, 1100

Ruby, M.
Microcomputer Software Reviews, 84, 206, 486

Rudnick, S. N.
Particulate and nicotine sampling in public facilities and offices, 1577

Runeckles, V. C.
Important considerations for establishing a secondary ozone standard to protect vegetation, 1039

Ryan, J. V.
Chemical and biological characterization of products of incomplete combustion from the simulated field burning of agricultural plastic, 836

Ryan, P. B.
Development of models for predicting the distribution of indoor nitrogen dioxide concentrations, 1169
Indoor/outdoor measurements of volatile organic compounds in the Kanawha Valley of West Virginia, 1086
Observations less than the analytical limit of detection: a new approach, 328

Saeger, M. L.
Comparison of the annular denuder system and the transition flow reactor for measurements of selected dry deposition species, 1218

Salmon, L.
Chemical characteristics of PM_{10} aerosols collected in the Los Angeles area, 154

Samuelsen, G. S.
Continuous infrared analysis of N_2O in combustion products, 721

Sanning, D. E.
Summary of the NATO/CCMS Conference. The demonstration of remedial action technologies for contaminated land and groundwater, 1178
The U.S. environmental protection agency's SITE emerging technology program, 927

Scheff, P. A.
Source fingerprints for receptor modeling of volatile organics, 469

Schmal, D.
Some physico-chemical aspects of dry sorbent injection for removal of HCl and HF from waste incinerator flue gases, 55

Schroeder, J. C.
Measurement of ozone levels by ship along the Eastern Shore of Lake Michigan, 727

Schulze, W. D.
Communicating risk under Title III of SARA: strategies for explaining very small risks in a community context, 271

Sculley, R. D.
Vehicle emission rate analysis for carbon monoxide hot spot modeling, 1334

Seeker, W. R.
Optimization of reburning for advanced NO_x control on coal-fired boilers, 1375

Seila, R. L.
Determination of room temperature OH rate constants for acetylene, ethylene dichloride, ethylene dibromide, p-dichlorobenzene and carbon disulfide, 453

Shadwick, D. S.
Important considerations for establishing a secondary ozone standard to protect vegetation, 1039

Shah, J. J.
Inter-urban comparison of ambient volatile organic compound concentrations in U.S. cities, 729

Shields, H. C.
Indoor ozone exposures, 1562

Showman, R. E.
Trace element content of *Flavoparmelia caperata* (L.) hale due to industrial emissions, 317

Sickles, J. E., II
Comparison of the annular denuder system and the transition flow reactor for measurements of selected dry deposition species, 1218

Simes, G. F.
Site program update: Part IV. Quality assurance for the SITE program demonstrations, 431

Siudak, P.
Characterization of emissions from a methanol fueled motor vehicle, 48

Smith, D. L.
Inter-urban comparison of ambient volatile organic compound concentrations in U.S. cities, 729

Smith, J. C.
IGCI newsletter, 12, 410, 912, 1295

Snow, D. A.
Air levels and mutagenicity of PM-10 in an indoor ice arena, 1583

Snow, R.
Characterization of emissions from a methanol fueled motor vehicle, 48

Snyder, T. R.
Determination of baghouse performance from coal and ash properties: Part I, 228
Determination of baghouse performance from coal and ash properties: Part II, 361

Soczek, M. L.
The new standard environmental inventory questionnaire for estimation of indoor concentrations, 1411

Sokol, C. K.
Comparison of the annular denuder system and the transition flow reactor for measurements of selected dry deposition species, 1218

Sokol, H. A.
The impact of add-on catalytic devices on poliutant emissions from unvented kerosene heaters, 1228

Solomon, P. A.
Chemical characteristics of PM_{10} aerosols collected in the Los Angeles area, 154

Sommer, E. J., Jr.
Mass burn incineration with a presorted MSW fuel, 511

Soto, J.
A study of the impact of industrial fluoride emissions on a rural environment, 1098

Spence, D. B.
SARA Title III: pitfalls and practicalities, 29

Spengler, J. D.
Development of models for predicting the distribution of indoor nitrogen dioxide concentrations, 1169
Indoor/outdoor measurements of volatile organic compounds in the Kanawha Valley of West Virginia, 1086
Particulate and nicotine sampling in public facilities and offices, 1577

Staley, L. J.
On the relationship between CO, POHC, and PIC emissions from a simulated hazardous waste incinerator, 321
SITE program update: Part II. The SITE demonstration of the American combustion pyretron oxygen-enhanced burner, 149

Stephens, E. R.
Valveless sampling of ambient air for analysis by capillary gas chromatography, 1202

Stephens, N. T.
The impact of increased recycle rates on markets in Florida, 1544

Sterling, A. M.
Rotary kiln incineration III. An indepth study—kiln exit/afterburner/stack train and kiln exit pattern factor measurements during liquid CCl_4 processing, 944
Rotary kiln incineration IV. An indepth study—kiln exit, transition and afterburner sampling during liquid CCl_4 processing, 1073
Rotary kiln injection I. An indepth study—liquid injection, 63

Stinson, M. K.
EPA SITE demonstration of the terra vac in situ vacuum extraction process in Groveland, Massachusetts, 1054

Storm, J. F.
Evaluation of canisters for measuring emissions of volatile organic air pollutants from hazardous waste incineration, 1210

Strand, V. A.
Emission of airborne bacteria from a hospital incinerator, 164

Stump, F.
Characterization of emissions from a methanol fueled motor vehicle, 48

Sugiyama, K.
Basic research on the emission of polycyclic aromatic hydrocarbons caused by waste incineration, 1557

Swartzman, D.
Accuracy and precision of home radon monitoring and the effectiveness of EPA monitoring guidelines, 953

Sweetman, L. L.
Effects of oxidant air pollutants on pulmonary surfactant using two isolation procedures, 479

Sykes, A. L.
Sampling and analysis experiments for improved characterization of products of incomplete combustion, 969

Szabo, M.
Results of treatment evaluations of a contaminated synthetic soil, 294

Tatreau, P. M.
Measurement of ozone levels by ship along the Eastern Shore of Lake Michigan, 727

Taylor, M.
Results of treatment evaluations of a contaminated synthetic soil, 294

Teague, M. E.
Errors in grab sample measurements of N_2O from combustion sources, 287

Thomason, M. M.
Screening approach for principal organic hazardous constituents and products of incomplete combustion, 709

Thurnau, R.
Results of treatment evaluations of a contaminated synthetic soil, 294

Tombach, I. H.
An analysis of visual range in the eastern United States under different meteorological regimes, 200

Traver, R.
Results of treatment evaluations of a contaminated synthetic soil, 294

Travis, C. C.
The superfund remedial action decision process: a review of fifty records of decision, 1535

Traynor, G. W.
The impact of add-on catalytic devices on pollutant emissions from unvented kerosene heaters, 1228

Tuazon, E. C.
Time-resolved identification and measurement of indoor air pollutants by spectroscopic techniques: gaseous nitrous acid, methanol, formaldehyde and formic acid, 1344

Tucker, A. R.
An experimental study of hopper evacuation effects on multitube cyclone performance, 1614

Turner, A. R.
Comparison of the annular denuder system and the transition flow reactor for measurements of selected dry deposition species, 1218

Uchytilova, V.
Application of the active soda process for removing sulphur dioxide from flue gases, 1206

Uteli, M. J.
Health effects of ozone. Critical review discussion papers, 1185

Vann Bush, P.
Determination of baghouse performance from coal and ash properties: Part I, 228
Determination of baghouse performance from coal and ash properties: Part II, 361

Villar, E.
A study of the impact of industrial fluoride emissions on a rural environment, 1098

Viswanathan, R.
Split-level plumes, 847

Voice, T. C.
Microcomputer Software Reviews, 333
von Lehmden, D. J.
Accuracy assessment of EPA protocol gases in 1988, 1225
Vostal, J. J.
Health effects of ozone. Critical review discussion papers, 1185
Wadden, R. A.
Source fingerprints for receptor modeling of volatile organics, 469
Wall, C. V.
Accuracy assessment of EPA protocol gases in 1988, 1225
Wall, H. O.
The SITE demonstration of the Shirco electric infrared incinerator, 815
Warren, S.
Use of bioassay methods to evaluate mutagenicity of ambient air collected near a municipal waste combustor, 1436
Watson, J. G.
Receptor models in air resources management: A summary of the APCA International Specialty Conference, 419
Watts, R.
Use of bioassay methods to evaluate mutagenicity of ambient air collected near a municipal waste combustor, 1436
Weschler, C. J.
Indoor ozone exposures, 1562
White, R.
A wind tunnel study to design large, open-top chambers for whole-tree pollutant exposure experiments, 1549
Williams, D. T.
Air levels and mutagenicity of PM-10 in an indoor ice arena, 1583
Williams, M. D.
Aggregate source-receptor relations for economic analysis of ambient regulations, 824
Williams, R.
Use of bioassay methods to evaluate mutagenicity of ambient air collected near a municipal waste combustor, 1436
Williams, R. W.
Chemical and biological characterization of products of incomplete combustion from the simulated field burning of agricultural plastic, 836
Wilson, J. G., Jr.
Design and testing of a new size classifying isokinetic sequential aerosol sampler, 1569
Wilson, M. A.
Effect of refractory on the thermal stability of SF_6, 310
Winer, A. M.
Time-resolved identification and measurement of indoor air pollutants by spectroscopic techniques: gaseous nitrous acid, methanol, formaldehyde and formic acid, 1344
Winsor, L.
Air levels and mutagenicity of PM-10 in an indoor ice arena, 1583
Wolfinger, T. F.
Screening-level assessment of airborne carcinogen risks from uncontrolled waste sites, 461
Wright, R. S.
Accuracy assessment of EPA protocol gases in 1988, 1225
Wuebbles, D. J.
The role of atmospheric chemistry in climate change, 22
Wyzga, R. E.
Health risks of short-term SO_2 exposure to exercising asthmatics, 831
Yanagisawa, Y.
Indoor/outdoor measurements of volatile organic compounds in the Kanawha Valley of West Virginia, 1086
Yasuda, K.
Basic research on the emission of polycyclic aromatic hydrocarbons caused by waste incineration, 1557
Yoshino, H.
Basic research on the emission of polycyclic aromatic hydrocarbons caused by waste incineration, 1557
Zannetti, P.
An analysis of visual range in the eastern United States under different meteorological regimes, 200

Subject Index

Accidental Releases
Communicating risk under Title III of SARA: strategies for explaining very small risks in a community context, 271

Accuracy Assessment
Accuracy assessment of EPA protocol gases in 1988, 1225

Acetylene
Determination of room temperature OH rate constants for acetylene, ethylene dichloride, ethylene dibromide, p-dichlorobenzene and carbon disulfide, 453
Ozone production from irradiation of acetylene/chlorine mixtures in air, 1467

Acid Deposition
Comparison of the annular denuder system and the transition flow reactor for measurements of selected dry deposition species, 1218

Acid Deposition, Dry
Dry deposition velocity as an indicator for SO_2 damage to materials, 446

Acid Precipitation
See also Deposition
Response of eastern hardwood species to ozone, sulfur dioxide and acid precipitation, 852

Active Soda Process
Application of the active soda process for removing sulphur dioxide from flue gases, 1206

Advanced Technologies
Air quality management in Los Angeles: perspectives on past and future emission control strategies, 696

Aerosol
See Particulates

Aerosol Filtration Samplers
Design and testing of a new size classifying isokinetic sequential aerosol sampler, 1569

Aerosols
Chemical characteristics of PM_{10} aerosols collected in the Los Angeles area, 154

Afterburner
Rotary kiln incineration III. An indepth study—kiln exit/afterburner/stack train and kiln exit pattern factor measurements during liquid CCl_4 processing, 944
Rotary kiln incineration IV. An indepth study—kiln exit, transition and afterburner sampling during liquid CCl_4 processing, 1073

Afterburners
Rotary kiln injection I. An indepth study—liquid injection, 63

Agricultural Effects
A reassessment of the economic effects of ozone on U.S. agriculture, 960
A study of the impact of industrial fluoride emissions on a rural environment, 1098
Chemical and biological characterization of products of incomplete combustion from the simulated field burning of agricultural plastic, 836

Airborne Bacteria
Emission of airborne bacteria from a hospital incinerator, 164

Airborne Carcinogens
Screening-level assessment of airborne carcinogen risks from uncontrolled waste sites, 461

Airborne Particles
Indoor exposure to airborne particles and nitrogen dioxide during an air pollution episode, 1348
Potentially allergenic airborne particles in the vicinity of a yeast and penicillin production plant, 1094

Air Pollution Control Industry
Air and waste management markets in a shrinking world, 277

Air Pollution Episode
Indoor exposure to airborne particles and nitrogen dioxide during an air pollution episode, 1348
Pulmonary function changes associated with an air pollution episode in January 1987, 1444

Air Quality Management
Air quality management in Los Angeles: perspectives on past and future emission control strategies, 696

Air Quality Standards
Applications of a method for setting air quality standards based on epidemiological data, 437
Important considerations for establishing a secondary ozone standard to protect vegetation, 1039

Air & Waste Management Association (A&WMA)
Air & Waste Management Association's 82nd Annual Meeting & Exhibition, 581
Government Agencies Directory—1989, 525
Report of the Fifth Canadian Environmental Government Affairs Seminar: a strategy for sustainable development, 139
Summary of the 1989 EPA/A&WMA International Symposium: measurement of toxic and related air pollutants, 1420
The 82nd Annual Meeting & Exhibition of the Air & Waste Management Association, 1195

Alkalinity
Measurement of the alkalinity of filter media, 58

Allergenic Particles
Potentially allergenic airborne particles in the vicinity of a yeast and penicillin production plant, 1094

Alternative Dispute Resolution
Using mediation to reach voluntary superfund settlement agreements, 1297

Alternative Fuels
Air quality management in Los Angeles: perspectives on past and future emission control strategies, 696

Alternative Technologies
Air quality management in Los Angeles: perspectives on past and future emission control strategies, 696
Summary of the NATO/CCMS Conference. The demonstration of remedial action technologies for contaminated land and groundwater, 1178

Alternative Treatment Technologies
SITE program update: an introduction, 15
SITE program update: Part I. Overview of the Superfund Innovative Technology Evaluation (SITE) Program, 16

Ambient Air Quality Analyzers
Accuracy assessment of EPA protocol gases in 1988, 1225

Animal Studies
Health effects of ozone: a critical review, 672

Annular Denuder System
Comparison of the annular denuder system and the transition flow reactor for measurements of selected dry deposition species, 1218

Asthmatics
Health risks of short-term SO_2 exposure to exercising asthmatics, 831

Atlanta, Georgia
Ozone trends in Atlanta, Georgia: have emission controls been effective?, 40

Atmospheric Chemistry
Atmospheric chemistry of chlorinated phenols, 820
The role of atmospheric chemistry in climate change, 22

Atmospheric Deposition
Response of eastern hardwood species to ozone, sulfur dioxide and acid precipitation, 852

Atmospheric Particulates
Measurable electrostatic effects in Nuclepore filters, 1465

Atmospheric Visibility
An analysis of visual range in the eastern United States under different meteorological regimes, 200

A&WMA News Department
Call for papers issued for A&WMA's 83rd annual meeting technical program, 1240
New logo developed for the Air & Waste Management Association, 94
Technical council restructuring addresses association's waste management activities, 1482
Technical session preliminary schedule announced for 1989 AWMA annual meeting, 342

Baghouse
Determination of baghouse performance from coal and ash properties: Part I, 228

Baghouse Performance
Determination of baghouse performance from coal and ash properties: Part II, 361

Bed-characterization Reactor
Rotary kiln incineration II. Laboratory-scale desorption and kiln-simulator studies—solids, 187

Bed Volatilization Study
Rotary kiln injection I. An indepth study—liquid injection, 63

Bioassay Methods
Use of bioassay methods to evaluate mutagenicity of ambient air collected near a municipal waste combustor, 1436

Boilers
Nitrogen oxide emissions of boilers in Finland, 1496

Brundtland Report
Report of the Fifth Canadian Environmental Government Affairs Seminar: a strategy for sustainable development, 139

Cadmium
Differential cadmium accumulation and phytotoxicity in sixteen tobacco cultivars, 1319

Calcium Hydroxide Solids
Removal of SO_2 and N_x from stack gas by reaction with calcium hydroxide solids, 175

Canadian Environmental Government Affairs Seminar
Report of the Fifth Canadian Environmental Government Affairs Seminar: a strategy for sustainable development, 139

Canadian Government Affairs Committee
Report of the Fifth Canadian Environmental Government Affairs Seminar: a strategy for sustainable development, 139

Cancer Risk
Acceptable cancer risks: probabilities and beyond, 1046

Canisters
Evaluation of canisters for measuring emissions of volatile organic air pollutants from hazardous waste incineration, 1210

Carbon Adsorption System
Theoretical evaluation of indoor radon control using a carbon adsorption system, 305

Carbon Dioxide
The role of atmospheric chemistry in climate change, 22

Carbon Disulfide
Determination of room temperature OH rate constants for acetylene, ethylene dichloride, ethylene dibromide, p-dichlorobenzene and carbon disulfide, 453

Carbon Monoxide
Alteration in carboxyhemoglobin concentrations during exposure to 9 ppm carbon monoxide for 8 hours at sea level and 2134 m altitude in a hypobaric chamber, 1323
Characterization of emissions from a methanol fueled motor vehicle, 48
Indoor-outdoor carbon monoxide concentrations at four sites in Riyadh, Saudi Arabia, 1100
On the relationship between CO, POHC, and PIC emissions from a simulated hazardous waste incinerator, 321
Persistence factors for mobile source (roadway) carbon monoxide modeling, 714
Vehicle emission rate analysis for carbon monoxide hot spot modeling, 1334

Carboxyhemoglobin
Alteration in carboxyhemoglobin concentrations during exposure to 9 ppm carbon monoxide for 8 hours at sea level and 2134 m altitude in a hypobaric chamber, 1323

Carcinogen
EPA's perspective on risks from residential radon exposure, 915

Catalytic Devices
The impact of add-on catalytic devices on pollutant emissions from unvented kerosene heaters, 1228

Chamber Studies
Predicting respiratory morbidity from pulmonary function tests: a reanalysis of ozone chamber studies, 1313

Charleston, West Virginia
Indoor/outdoor measurements of volatile organic compounds in the Kanawha Valley of West Virginia, 1086

Chemical Analysis, Aerosols
Chemical characteristics of PM_{10} aerosols collected in the Los Angeles area, 154
Chemical Analysis, Particulates
Characterization of particulate emissions from non-ferrous smelters, 169
Chemical Industry
Indoor/outdoor measurements of volatile organic compounds in the Kanawha Valley of West Virginia, 1086
Chemical Mass Balance (CMB) Model
Source fingerprints for receptor modeling of volatile organics, 469
Chemical Risks
Communicating risk under Title III of SARA: strategies for explaining very small risks in a community context, 271
Chemical Treatment, Soil
Results of treatment evaluations of a contaminated synthetic soil, 294
Chlorinated Phenols
Atmospheric chemistry of chlorinated phenols, 820
Chlorine
Ozone production from irradiation of acetylene/chlorine mixtures in air, 1467
Clean Air Act
Report from the 17th Government Affairs Seminar: Some issues in waste management, 808
Climate
The role of atmospheric chemistry in climate change, 22
Climate Change
The role of atmospheric chemistry in climate change, 22
Climate Models
The role of atmospheric chemistry in climate change, 22
Coal Burning
Some physico-chemical aspects of dry sorbent injection for removal of HCl and HF from waste incinerator flue gases, 55
Coal-fired Boilers
Optimization of reburning for advanced NO_x control on coal-fired boilers, 1375
Coal-fired Power Plants
Advanced concepts in FGD technology: the SHU process with cooling tower discharge, 1262
Determination of baghouse performance from coal and ash properties: Part I, 228
Determination of baghouse performance from coal and ash properties: Part II, 361
Evaluation of vegetation near coal-burning power plants in Southwestern Pennsylvania. Part I. Sulfur content of foliage, 1440
Health risks of short-term SO_2 exposure to exercising asthmatics, 831
Combustion
Screening approach for principal organic hazardous constituents and products of incomplete combustion, 709
Combustion Emissions
Chemical and biological characterization of products of incomplete combustion from the simulated field burning of agricultural plastic, 836
Continuous infrared analysis of N_2O in combustion products, 721
Use of bioassay methods to evaluate mutagenicity of ambient air collected near a municipal waste combustor, 1436
Combustion Products
Errors in grab sample measurements of N_2O from combustion sources, 287
Combustion Technologies
Reburning for cyclone boiler NO_x control, 107
Stationary combustion NO_x control: a summary of the 1989 symposium, 1131
Comparative Analysis
Inter-urban comparison of ambient volatile organic compound concentrations in U.S. cities, 729
Compliance
Air quality management in Los Angeles: perspectives on past and future emission control strategies, 696
Compressed Gas Standards
Accuracy assessment of EPA protocol gases in 1988, 1225
Computer Applications
See Microcomputers
Conferences
Air & Waste Management Association's 82nd Annual Meeting & Exhibition, 581
Summary of the 1989 EPA/A&WMA International Symposium: measurement of toxic and related air pollutants, 1420
Summary of the NATO/CCMS Conference. The demonstration of remedial action technologies for contaminated land and groundwater, 1178
The 82nd Annual Meeting & Exhibition of the Air & Waste Management Association, 1195
Contaminants
Rotary kiln incineration II. Laboratory-scale desorption and kiln-simulator studies—solids, 187
Continuous Emission Monitoring Systems
Accuracy assessment of EPA protocol gases in 1988, 1225
Continuous Monitoring
Continuous infrared analysis of N_2O in combustion products, 721
Control Technology Department
Advanced concepts in FGD technology: the SHU process with cooling tower discharge, 1262
Determination of baghouse performance from coal and ash properties: Part I, 228
Determination of baghouse performance from coal and ash properties: Part II, 361
Dust reentrainment, gas distribution and electrostatic precipitator performance, 766
Mass burn incineration with a presorted MSW fuel, 511
Nitrogen oxide emissions of boilers in Finland, 1496
Optimization of reburning for advanced NO_x control on coal-fired boilers, 1375
Reburning for cyclone boiler NO_x control, 107
Critical Review
Health effects of ozone: a critical review, 672
Crop Loss
A reassessment of the economic effects of ozone on U.S. agriculture, 960
Important considerations for establishing a secondary ozone standard to protect vegetation, 1039
Cyclone Boiler
Reburning for cyclone boiler NO_x control, 107
Data Analysis
Measurement of the alkalinity of filter media, 58
Observations less than the analytical limit of detection: a new approach, 328
Ozone trends in Atlanta, Georgia: have emission controls been effective?, 40
Data Base
Inter-urban comparison of ambient volatile organic compound concentrations in U.S. cities, 729
Data Comparison
Inter-urban comparison of ambient volatile organic compound concentrations in U.S. cities, 729
Department of Defense (DOD)
Hazardous waste minimization: Part XI. Federally sponsored waste minimization research and development for hazardous and non-hazardous wastes, 34
Department of Energy (DOE)
Hazardous waste minimization: Part XI. Federally sponsored waste minimization research and development for hazardous and non-hazardous wastes, 34
Mass burn incineration with a presorted MSW fuel, 511
Department of the Interior (DOI)
Hazardous waste minimization: Part XI. Federally sponsored waste minimization research and development for hazardous and non-hazardous wastes, 34
Deposition
See Acid Precipitation
Deposition, Dry
Dry deposition velocity as an indicator for SO_2 damage to materials, 446
Design
Performance of high-temperature slagging rotary kiln incinerator, 884
Rotary kiln incineration III. An indepth study—kiln exit/afterburner/stack train and kiln exit pattern factor measurements during liquid CCl_4 processing, 944
Rotary kiln incineration IV. An indepth study—kiln exit, transition and afterburner sampling during liquid CCl_4 processing, 1073
Desorption
Rotary kiln incineration II. Laboratory-scale desorption and kiln-simulator studies—solids, 187
Desorption Characterization
Rotary kiln injection I. An indepth study—liquid injection, 63
Destruction and Removal Efficiency
Effect of refractory on the thermal stability of SF_6, 310
Diffusive Sampler
Monitoring of parts-per-billion levels of formaldehyde using a diffusive sampler, 44
Disclosure
SARA Title III: pitfalls and practicalities, 29
Dispersion Modeling
A jet plume model for short stacks, 856
Dose Response
Health risks of short-term SO_2 exposure to exercising asthmatics, 831
Dry Deposition Species
Comparison of the annular denuder system and the transition flow reactor for measurements of selected dry deposition species, 1218
Dry Scrubber
Removal of SO_2 and N_x from stack gas by reaction with calcium hydroxide solids, 175
Dry Sorbent Injection
Some physico-chemical aspects of dry sorbent injection for removal of HCl and HF from waste incinerator flue gases, 55
Dustcake Ash
Determination of baghouse performance from coal and ash properties: Part I, 228
Dust Reentrainment
Dust reentrainment, gas distribution and electrostatic precipitator performance, 766
Eastern United States
An analysis of visual range in the eastern United States under different meteorological regimes, 200
Economic Aspects
Aggregate source-receptor relations for economic analysis of ambient regulations, 824
Air and waste management markets in a shrinking world, 277
A reassessment of the economic effects of ozone on U.S. agriculture, 960
Report from the 17th Government Affairs Seminar: Some issues in waste management, 808
Elderly
Adaptation by older individuals repeatedly exposed to 0.45 parts per million ozone for two hours, 194
Electric Power Research Institute (EPRI)
Determination of baghouse performance from coal and ash properties: Part I, 228
Determination of baghouse performance from coal and ash properties: Part II, 361
Reburning for cyclone boiler NO_x control, 107
Stationary combustion NO_x control: a summary of the 1989 symposium, 1131
Electric Utilities
Stationary combustion NO_x control: a summary of the 1989 symposium, 1131
Electrostatic Precipitation
Dust reentrainment, gas distribution and electrostatic precipitator performance, 766
Emergency Planning
SARA Title III: pitfalls and practicalities, 29
Emergency Planning and Community Right-to-Know Act
Communicating risk under Title III of SARA: strategies for explaining very small risks in a community context, 271
Emission Control
Air quality management in Los Angeles: perspectives on past and future emission control strategies, 696
Ozone trends in Atlanta, Georgia: have emission controls been effective?, 40
Emissions
Characterization of emissions from a methanol fueled motor vehicle, 48
Emissions, Chemical Characteristics
Characterization of particulate emissions from non-ferrous smelters, 169
Emissions, Physical Characteristics
Characterization of particulate emissions from non-ferrous smelters, 169
Emissions Abatement
Some physico-chemical aspects of dry sorbent injection for removal of HCl and HF from waste incinerator flue gases, 55
Environmental Inventory Questionnaire
The new standard environmental inventory questionnaire for estimation of indoor concentrations, 1411

Environmental Litigation Department
Accepting modeling results as fact, 404
Linking landfills to health effects, 6
The challenge to punitive damages, 1288
Title III and toxic torts, 906
Environmental Protection Agency (EPA)
Accuracy and precision of home radon monitoring and the effectiveness of EPA monitoring guidelines, 953
Accuracy assessment of EPA protocol gases in 1988, 1225
EPA SITE demonstration of the terra vac in situ vacuum extraction process in Groveland, Massachusetts, 1054
EPA's perspective on risks from residential radon exposure, 915
Estimating fugitive emissions of volatile compounds from equipment leaks, 1619
Hazardous waste minimization: Part XI. Federally sponsored waste minimization research and development for hazardous and non-hazardous wastes, 34
Results of treatment evaluations of a contaminated synthetic soil, 294
SITE program update: an introduction, 15
SITE program update: Part I. Overview of the Superfund Innovative Technology Evaluation (SITE) Program, 16
SITE program update: Part II. The SITE demonstration of the American combustion pyretron oxygen-enhanced burner, 149
SITE program update: Part III. Description of EPA SITE demonstration of the Hazcon stabilization process at the Douglassville, Pennsylvania superfund site, 282
Site program update: Part IV. Quality assurance for the SITE program demonstrations, 431
Stationary combustion NO_x control: a summary of the 1989 symposium, 1131
Summary of the 1989 EPA/A&WMA International Symposium: measurement of toxic and related air pollutants, 1420
The present and future EPA incineration research facility, 1309
The superfund remedial action decision process: a review of fifty records of decision, 1535
The U.S. environmental protection agency's SITE emerging technology program, 927
Environmental Tobacco Smoke (ETS)
Air levels and mutagenicity of PM-10 in an indoor ice arena, 1583
Particulate and nicotine sampling in public facilities and offices, 1577
Environmental Trends Department
Air quality developments impact utility planning, 566
Incentives resurgent: project 88's campaign, 128
Perestroika in Poland, 1402
SARA Title III: pitfalls and practicalities, 29
"WEPCO" decisions make existing sources "new", 1028
Epidemiological Studies
Applications of a method for setting air quality standards based on epidemiological data, 437
Health effects of ozone: a critical review, 672
Equipment Component Leaks
Estimating fugitive emissions of volatile compounds from equipment leaks, 1619
Equipment Design
A wind tunnel study to design large, open-top chambers for whole-tree pollutant exposure experiments, 1549
Design and testing of a new size classifying isokinetic sequential aerosol sampler, 1569
Ethylene Dibromide
Determination of room temperature OH rate constants for acetylene, ethylene dichloride, ethylene dibromide, p-dichlorobenzene and carbon disulfide, 453
Ethylene Dichloride
Determination of room temperature OH rate constants for acetylene, ethylene dichloride, ethylene dibromide, p-dichlorobenzene and carbon disulfide, 453
Exercise
Health risks of short-term SO_2 exposure to exercising asthmatics, 831
Exposure Assessment
Estimating the effect of being indoors on total personal exposure to outdoor air pollution, 1453
Health risks of short-term SO_2 exposure to exercising asthmatics, 831
Indoor/outdoor measurements of volatile organic compounds in the Kanawha Valley of West Virginia, 1086
Potentially allergenic airborne particles in the vicinity of a yeast and penicillin production plant, 1094
The new standard environmental inventory questionnaire for estimation of indoor concentrations, 1411
Exposure Estimates
Applications of a method for setting air quality standards based on epidemiological data, 437
EPA's perspective on risks from residential radon exposure, 915
Fabric Filter
Determination of baghouse performance from coal and ash properties: Part I, 228
Federal Regulations
SARA Title III: pitfalls and practicalities, 29
Federal Republic of Germany
Advanced concepts in FGD technology: the SHU process with cooling tower discharge, 1262
Field Demonstration
SITE program update: Part III. Description of EPA SITE demonstration of the Hazcon stabilization process at the Douglassville, Pennsylvania superfund site, 282
Filters
Measurement of the alkalinity of filter media, 58
Filtration
Determination of baghouse performance from coal and ash properties: Part I, 228
Measurable electrostatic effects in Nuclepore filters, 1465
Finland
Nitrogen oxide emissions of boilers in Finland, 1496
Florida
Persistence factors for mobile source (roadway) carbon monoxide modeling, 714
The impact of increased recycle rates on markets in Florida, 1544
Flue Gas
Application of the active soda process for removing sulphur dioxide from flue gases, 1206
Some physico-chemical aspects of dry sorbent injection for removal of HCl and HF from waste incinerator flue gases, 55
Flue Gas Desulfurization
Advanced concepts in FGD technology: the SHU process with cooling tower discharge, 1262
Removal of SO_2 and N_x from stack gas by reaction with calcium hydroxide solids, 175
Fluoride Emissions
A study of the impact of industrial fluoride emissions on a rural environment, 1098
Fly Ash
Determination of baghouse performance from coal and ash properties: Part II, 361
Removal of SO_2 and N_x from stack gas by reaction with calcium hydroxide solids, 175
Forests
A wind tunnel study to design large, open-top chambers for whole-tree pollutant exposure experiments, 1549
Response of eastern hardwood species to ozone, sulfur dioxide and acid precipitation, 852
Formaldehyde
Characterization of emissions from a methanol fueled motor vehicle, 48
Monitoring of parts-per-billion levels of formaldehyde using a diffusive sampler, 44
Time-resolved identification and measurement of indoor air pollutants by spectroscopic techniques: gaseous nitrous acid, methanol, formaldehyde and formic acid, 1344
Formic Acid
Time-resolved identification and measurement of indoor air pollutants by spectroscopic techniques: gaseous nitrous acid, methanol, formaldehyde and formic acid, 1344
Fuel-burning
Nitrogen oxide emissions of boilers in Finland, 1496
Fuel Consumption
Global emissions of nitrogen and sulfur oxides from 1860 to 1980, 180
Fuel Emissions
Errors in grab sample measurements of N_2O from combustion sources, 287
Fuels
Air quality management in Los Angeles: perspectives on past and future emission control strategies, 696
Characterization of emissions from a methanol fueled motor vehicle, 48
Gas Chromatography
Valveless sampling of ambient air for analysis by capillary gas chromatography, 1202
Gas-fired Stoves
Development of models for predicting the distribution of indoor nitrogen dioxide concentrations, 1169
Gas Flow Distribution
Dust reentrainment, gas distribution and electrostatic precipitator performance, 766
Gas Research Institute (GRI)
Reburning for cyclone boiler NO_x control, 107
Genotype Selection
Differential cadmium accumulation and phytotoxicity in sixteen tobacco cultivars, 1319
Glass Fiber Filters
Measurement of the alkalinity of filter media, 58
Global Climate
The role of atmospheric chemistry in climate change, 22
Global Emissions
Global emissions of nitrogen and sulfur oxides from 1860 to 1980, 180
Government Affairs Seminar
Report from the 17th Government Affairs Seminar: Some issues in waste management, 808
Government Agency Directory (Supplement)
1989 Government agency directory (supplement), 1350
Greenhouse Effect
The role of atmospheric chemistry in climate change, 22
Hazardous Waste
See also Waste Management
Evaluation of canisters for measuring emissions of volatile organic air pollutants from hazardous waste incineration, 1210
Hazardous waste minimization: Part XI. Federally sponsored waste minimization research and development for hazardous and non-hazardous wastes, 34
Industrial response to a waste minimization survey in Tennessee, 921
Mass burn incineration with a presorted MSW fuel, 511
SITE program update: an introduction, 15
SITE program update: Part I. Overview of the Superfund Innovative Technology Evaluation (SITE) Program, 16
Summary of the NATO/CCMS Conference. The demonstration of remedial action technologies for contaminated land and groundwater, 1178
Hazardous Waste, Household
Evaluation of a statewide matching grant program for the collection of household hazardous waste, 427
Hazardous Waste Incineration
Derivation of oxygen correction factors for oxygen-enriched incinerators, 1462
Hazardous Waste Treatment
Results of treatment evaluations of a contaminated synthetic soil, 294
SITE program update: Part III. Description of EPA SITE demonstration of the Hazcon stabilization process at the Douglassville, Pennsylvania superfund site, 282
Hazard Ranking System (HRS)
Overview of proposed revisions to the superfund hazard ranking system, 801
Screening-level assessment of airborne carcinogen risks from uncontrolled waste sites, 461
Health Effects
Adaptation by older individuals repeatedly exposed to 0.45 parts per million ozone for two hours, 194
Applications of a method for setting air quality standards based on epidemiological data, 437
Effects of oxidant air pollutants on pulmonary surfactant using two isolation procedures, 479
Health effects of ozone: a critical review, 672
Health effects of ozone. Critical review discussion papers, 1185
Potentially allergenic airborne particles in the vicinity of a yeast and penicillin production plant, 1094

Pulmonary function changes associated with an air pollution episode in January 1987, 1444

Health Risks
See also Risk Assessment
Health risks of short-term SO_2 exposure to exercising asthmatics, 831

Health Studies
Inhalation route effects on exposure to 2.0 parts per million sulfur dioxide in normal subjects, 1448

Historical Survey
Global emissions of nitrogen and sulfur oxides from 1860 to 1980, 180

Historic Emission Trends
Global emissions of nitrogen and sulfur oxides from 1860 to 1980, 180

Hospital Waste
Emission of airborne bacteria from a hospital incinerator, 164

Human Effects Studies
Alteration in carboxyhemoglobin concentrations during exposure to 9 ppm carbon monoxide for 8 hours at sea level and 2134 m altitude in a hypobaric chamber, 1323
Applications of a method for setting air quality standards based on epidemiological data, 437
Effects of oxidant air pollutants on pulmonary surfactant using two isolation procedures, 479
Health effects of ozone: a critical review, 672
Inhalation route effects on exposure to 2.0 parts per million sulfur dioxide in normal subjects, 1448
Predicting respiratory morbidity from pulmonary function tests: a reanalysis of ozone chamber studies, 1313
Pulmonary function changes associated with an air pollution episode in January 1987, 1444

Human Exposure Model (HEM)
Screening-level assessment of airborne carcinogen risks from uncontrolled waste sites, 461

Hydrocarbons
Characterization of emissions from a methanol fueled motor vehicle, 48
On the relationship between CO, POHC, and PIC emissions from a simulated hazardous waste incinerator, 321

Hydrogen Chloride
Some physico-chemical aspects of dry sorbent injection for removal of HCl and HF from waste incinerator flue gases, 55

Hydrogen Fluoride
Some physico-chemical aspects of dry sorbent injection for removal of HCl and HF from waste incinerator flue gases, 55

Hydroxyl
Determination of room temperature OH rate constants for acetylene, ethylene dichloride, ethylene dibromide, p-dichlorobenzene and carbon disulfide, 453
The role of atmospheric chemistry in climate change, 22

Hydroxyl Radicals
Ambient air hydroxyl radical concentrations: measurements and model predictions, 704
Atmospheric chemistry of chlorinated phenols, 820

Incineration
See also Thermal Treatment
Basic research on the emission of polycyclic aromatic hydrocarbons caused by waste incineration, 1557
Derivation of oxygen correction factors for oxygen-enriched incinerators, 1462
Effect of refractory on the thermal stability of SF_6, 310
Emission of airborne bacteria from a hospital incinerator, 164
Evaluation of canisters for measuring emissions of volatile organic air pollutants from hazardous waste incineration, 1210
Mass burn incineration with a presorted MSW fuel, 511
On the relationship between CO, POHC, and PIC emissions from a simulated hazardous waste incinerator, 321
Performance of high-temperature slagging rotary kiln incinerator, 884
Rotary kiln incineration II. Laboratory-scale desorption and kiln-simulator studies—solids, 187
Rotary kiln incineration III. An indepth study—kiln exit/afterburner/stack train and kiln exit pattern factor measurements during liquid CCl_4 processing, 944
Rotary kiln incineration IV. An indepth study—kiln exit, transition and afterburner sampling during liquid CCl_4 processing, 1073
Rotary kiln injection I. An indepth study—liquid injection, 63
Sampling and analysis experiments for improved characterization of products of incomplete combustion, 969
Screening approach for principal organic hazardous constituents and products of incomplete combustion, 709
SITE program update: Part II. The SITE demonstration of the American combustion pyretron oxygen-enhanced burner, 149
Some physico-chemical aspects of dry sorbent injection for removal of HCl and HF from waste incinerator flue gases, 55
Stationary combustion NO_x control: a summary of the 1989 symposium, 1131
The present and future EPA incineration research facility, 1309
The SITE demonstration of the Shirco electric infrared incinerator, 815

Incineration, Soil
Results of treatment evaluations of a contaminated synthetic soil, 294

Incineration Modeling
Rotary kiln injection I. An indepth study—liquid injection, 63

Indoor Air
Air levels and mutagenicity of PM-10 in an indoor ice arena, 1583
Development of models for predicting the distribution of indoor nitrogen dioxide concentrations, 1169
EPA's perspective on risks from residential radon exposure, 915
Estimating the effect of being indoors on total personal exposure to outdoor air pollution, 1453
Indoor-outdoor carbon monoxide concentrations at four sites in Riyadh, Saudi Arabia, 1100
Indoor ozone exposures, 1562
Monitoring of parts-per-billion levels of formaldehyde using a diffusive sampler, 44
Particulate and nicotine sampling in public facilities and offices, 1577
The new standard environmental inventory questionnaire for estimation of indoor concentrations, 1411
Theoretical evaluation of indoor radon control using a carbon adsorption system, 305
Time-resolved identification and measurement of indoor air pollutants by spectroscopic techniques: gaseous nitrous acid, methanol, formaldehyde and formic acid, 1344

Indoor Exposure
Indoor exposure to airborne particles and nitrogen dioxide during an air pollution episode, 1348

Indoor/Outdoor Relationships
Indoor/outdoor measurements of volatile organic compounds in the Kanawha Valley of West Virginia, 1086

Industrial Biological Particles
Potentially allergenic airborne particles in the vicinity of a yeast and penicillin production plant, 1094

Industrial Emissions
Nitrogen oxide emissions of boilers in Finland, 1496

Industrial Fluoride Emissions
A study of the impact of industrial fluoride emissions on a rural environment, 1098

Industrial Sources
Source fingerprints for receptor modeling of volatile organics, 469

Industrial Waste Generators
Industrial response to a waste minimization survey in Tennessee, 921

Infectious Waste
Emission of airborne bacteria from a hospital incinerator, 164

International Markets
Air and waste management markets in a shrinking world, 277

Irradiation
Ozone production from irradiation of acetylene/chlorine mixtures in air, 1467

Kerosene Heaters
The impact of add-on catalytic devices on pollutant emissions from unvented kerosene heaters, 1228

Kiln-simulator
Rotary kiln incineration II. Laboratory-scale desorption and kiln-simulator studies—solids, 187
Rotary kiln injection I. An indepth study—liquid injection, 63

Laboratory Studies
Health effects of ozone: a critical review, 672

Lake Michigan
Measurement of ozone levels by ship along the Eastern Shore of Lake Michigan, 727

Laser-induced Fluorescence (LIF)
Ambient air hydroxyl radical concentrations: measurements and model predictions, 704

Legal Aspects
Acceptable cancer risks: probabilities and beyond, 1046

Legal Briefs Department
C. Greene Equipment Corporation v. Electron Corporation, 1149
Concerned Citizens of Bridesburg v. Philadelphia, 249
In the matter of New York State Superfund Coalition, Inc. v. New York State Department of Environmental Conservation, 1677
In the matter of Service Station Dealers of Greater New York, Inc. v. New York State Dept. of Environmental Conservation, 1393
In the matter of Vulcan Materials Company, 783
Navistar International Transportation Corporation v. United States Environmental Protection Agency, 897
Penick v. Commission on Natural Resources, 1279
Riverside Cement Company v. Lee M. Thomas, 557
State of New Jersey, Department of Environmental Protection v. Arky's Sales, 118
The Detroit Edison Company v. Michigan Air Pollution Control Commission, 395
United States of America v. Alcan Foil Products Division of Alcan Aluminum Corporation, 986
United States of America v. Vanguard Corporation, 1515

Legislation
Report from the 17th Government Affairs Seminar: Some issues in waste management, 808

Lichen
Trace element content of *Flavoparmelia caperata* (L.) hale due to industrial emissions, 317

Lidars
Split-level plumes, 847

Liquid Injection
Rotary kiln injection I. An indepth study—liquid injection, 63

Liquid Injection Incineration System
The present and future EPA incineration research facility, 1309

Liquid Permeation Standards
Accuracy assessment of EPA protocol gases in 1988, 1225

Local Emergency Planning Comm 'ttee (LEPC)
SARA Title III: pitfalls and practicalities, 29

Local Emergency Plans
Communicating risk under Title III of SARA: strategies for explaining very small risks in a community context, 271

Long-path Absorption Spectroscopy (LPA)
Ambient air hydroxyl radical concentrations: measurements and model predictions, 704

Los Angeles, California
Air quality management in Los Angeles: perspectives on past and future emission control strategies, 696
Chemical characteristics of PM_{10} aerosols collected in the Los Angeles area, 154

Market Analysis
The impact of increased recycle rates on markets in Florida, 1544

Massachusetts
Evaluation of a statewide matching grant program for the collection of household hazardous waste, 427

Materials, Pollution Effects
Dry deposition velocity as an indicator for SO_2 damage to materials, 446

Measurement
Air levels and mutagenicity of PM-10 in an indoor ice arena, 1583
Ambient air hydroxyl radical concentrations: measurements and model predictions, 704
Continuous infrared analysis of N_2O in combustion products, 721
Development of models for predicting the distribution of indoor nitrogen dioxide concentrations, 1169
Inter-urban comparison of ambient volatile organic compound concentrations in U.S. cities, 729

Measurement of ozone levels by ship along the Eastern Shore of Lake Michigan, 727
Particulate and nicotine sampling in public facilities and offices, 1577
Summary of the 1989 EPA/A&WMA International Symposium: measurement of toxic and related air pollutants, 1420

Measurement Techniques
Characterization of particulate emissions from non-ferrous smelters, 169

Mediation
Using mediation to reach voluntary superfund settlement agreements, 1297

Meteorological Data
Measurement of ozone levels by ship along the Eastern Shore of Lake Michigan, 727
Persistence factors for mobile source (roadway) carbon monoxide modeling, 714

Meteorology
Aggregate source-receptor relations for economic analysis of ambient regulations, 824
An analysis of visual range in the eastern United States under different meteorological regimes, 200
Split-level plumes, 847

Methanol
Air quality management in Los Angeles: perspectives on past and future emission control strategies, 696
Time-resolved identification and measurement of indoor air pollutants by spectroscopic techniques: gaseous nitrous acid, methanol, formaldehyde and formic acid, 1344

Methanol Fuel
Characterization of emissions from a methanol fueled motor vehicle, 48

Michigan
Measurement of ozone levels by ship along the Eastern Shore of Lake Michigan, 727

Microcomputers
AUDIT MASTER, 734
CHEMDAT6, 1469
CUMULATIVE INDEX 1985-1988, 1104
Hazardous waste incinerator calculations, 859
Manuscript, 486
MASSBAL, 984
Medical waste manager, 1538
Receptor models in air resources management: A summary of the APCA International Specialty Conference, 419
The computer corner, 10, 136, 266, 414, 576, 798, 911, 1036, 1276, 1510, 1532

Microcomputer Software Reviews
AUDIT MASTER, 734
CCINFOdisc, 1231
CUMULATIVE INDEX 1985-1988, 1104
Hazardous waste incinerator calculations, 859
Hot Line, 333
Lifetree software, 206
Manuscript, 486
MASSBAL, 984
Medical waste manager, 1538
WordPerfect, 84

Microenvironments
Estimating the effect of being indoors on total personal exposure to outdoor air pollution, 1453

Mobile Sources
Persistence factors for mobile source (roadway) carbon monoxide modeling, 714

Modeling
Aggregate source-receptor relations for economic analysis of ambient regulations, 824
A jet plume model for short stacks, 856
Ambient air hydroxyl radical concentrations: measurements and model predictions, 704
Computer simulation of a municipal solid waste combustor, 1328
Development of models for predicting the distribution of indoor nitrogen dioxide concentrations, 1169
Dust reentrainment, gas distribution and electrostatic precipitator performance, 766
Indoor ozone exposures, 1562
Nonmethane organic compound to nitrogen oxide ratios and organic composition in cities and rural areas, 936
Persistence factors for mobile source (roadway) carbon monoxide modeling, 714
Receptor models in air resources management: A summary of the APCA International Specialty Conference, 419
Split-level plumes, 847
The role of atmospheric chemistry in climate change, 22
Vehicle emission rate analysis for carbon monoxide hot spot modeling, 1334

Mold Spores
Potentially allergenic airborne particles in the vicinity of a yeast and penicillin production plant, 1094

Monitoring
Ambient air hydroxyl radical concentrations: measurements and model predictions, 704
Chemical characteristics of PM_{10} aerosols collected in the Los Angeles area, 154
Comparison of enhanced and routine methods for measuring ambient low-level sulfur dioxide, 981
Continuous infrared analysis of N_2O in combustion products, 721
Monitoring of parts-per-billion levels of formaldehyde using a diffusive sampler, 44
Particulate and nicotine sampling in public facilities and offices, 1577

Monitoring Data
Measurement of ozone levels by ship along the Eastern Shore of Lake Michigan, 727

Motor Vehicles
Characterization of emissions from a methanol fueled motor vehicle, 48
Persistence factors for mobile source (roadway) carbon monoxide modeling, 714

Multinational Corporations
Air and waste management markets in a shrinking world, 277

Multitube Cyclones
An experimental study of hopper evacuation effects on multitube cyclone performance, 1614

Municipal Solid Waste
Computer simulation of a municipal solid waste combustor, 1328

Municipal Waste
Basic research on the emission of polycyclic aromatic hydrocarbons caused by waste incineration, 1557
Report from the 17th Government Affairs Seminar: Some issues in waste management, 808
The impact of increased recycle rates on markets in Florida, 1544

Municipal Waste Combustion (MWC)
Use of bioassay methods to evaluate mutagenicity of ambient air collected near a municipal waste combustor, 1436

Mutagenicity
Air levels and mutagenicity of PM-10 in an indoor ice arena, 1583
Use of bioassay methods to evaluate mutagenicity of ambient air collected near a municipal waste combustor, 1436

National Ambient Air Quality Standard (NAAQS)
The need for a more robust ozone air quality standard, 1063

National Crop Loss Assessment Network (NCLAN)
A reassessment of the economic effects of ozone on U.S. agriculture, 960
Important considerations for establishing a secondary ozone standard to protect vegetation, 1039

National Institute of Standards and Technology (NIST)
Accuracy assessment of EPA protocol gases in 1988, 1225

National Priorities List (NPL)
EPA SITE demonstration of the terra vac in situ vacuum extraction process in Groveland, Massachusetts, 1054
Overview of proposed revisions to the superfund hazard ranking system, 801
Screening-level assessment of airborne carcinogen risks from uncontrolled waste sites, 461

Netherlands
Indoor exposure to airborne particles and nitrogen dioxide during an air pollution episode, 1348
Pulmonary function changes associated with an air pollution episode in January 1987, 1444

News Focus Department
Administration's clean air plan called "new era in environmental protection", 988
Department of energy announces plans to develop a national energy strategy, 1232
EPA announces final regulation to ban new asbestos products, 1106
EPA announces "right to know" results of 1987 toxic release inventory, 864
EPA issues annual air quality, emission trends report; ozone, CO problems persist, 736
EPA seeks public reaction to South Coast Clean Air Plan dilemma, 86
H.R. 3030 acid rain goals can be achieved more economically, says EEI, 1356
IUAPPA adopts declaration on climate change; calls for U. N. Environmental Security Council, 1470
OSHA issues final rule protecting workers against toxic substances, 334
Preliminary ozone data for 1988 suggest twenty-eight new areas in nonattainment, 488
Report on state and local air toxics regulatory strategies published by STAPPA/ALAPCO, 1592

Newsletter
Environmental litigation, 404, 906, 1288
Environmental trends, 29, 128, 566, 1028, 1402
EPRI newsletter, 134, 574, 1035, 1409
IGCI newsletter, 12, 410, 912, 1295
MVMA newsletter, 268, 862, 1166
Report from Canada, 258, 796, 1158
Washington report, 4, 126, 256, 402, 564, 790, 904, 1026, 1156, 1286, 1400, 1522

Nicotine
Particulate and nicotine sampling in public facilities and offices, 1577

Nitrates
Measurement of the alkalinity of filter media, 58

Nitrogen Dioxide
Applications of a method for setting air quality standards based on epidemiological data, 437
Development of models for predicting the distribution of indoor nitrogen dioxide concentrations, 1169
Indoor exposure to airborne particles and nitrogen dioxide during an air pollution episode, 1348

Nitrogen Oxide
Characterization of emissions from a methanol fueled motor vehicle, 48
Nitrogen oxide emissions of boilers in Finland, 1496
Nonmethane organic compound to nitrogen oxide ratios and organic composition in cities and rural areas, 936
Optimization of reburning for advanced NO_x control on coal-fired boilers, 1375
Ozone trends in Atlanta, Georgia: have emission controls been effective?, 40
Reburning for cyclone boiler NO_x control, 107
Stationary combustion NO_x control: a summary of the 1989 symposium, 1131

Nitrogen Oxide, Emissions
Global emissions of nitrogen and sulfur oxides from 1860 to 1980, 180

Nitrogen Oxide, Removal
Removal of SO_2 and N_x from stack gas by reaction with calcium hydroxide solids, 175

Nitrous Acid
Time-resolved identification and measurement of indoor air pollutants by spectroscopic techniques: gaseous nitrous acid, methanol, formaldehyde and formic acid, 1344

Nitrous Oxide
Continuous infrared analysis of N_2O in combustion products, 721
Errors in grab sample measurements of N_2O from combustion sources, 287

Non-ferrous Smelters
Characterization of particulate emissions from non-ferrous smelters, 169

Nonmethane Organic Compounds (NMOC)
Nonmethane organic compound to nitrogen oxide ratios and organic composition in cities and rural areas, 936
Source fingerprints for receptor modeling of volatile organics, 469

North Atlantic Treaty Organization (NATO)
Summary of the NATO/CCMS Conference. The demonstration of remedial action technologies for contaminated land and groundwater, 1178

Nuclepore Filter
Measurable electrostatic effects in Nuclepore filters, 1465

Numerical Modeling
Rotary kiln injection I. An indepth study—liquid injection, 63

Organic Emissions
On the relationship between CO, POHC, and PIC emissions from a simulated hazardous waste incinerator, 321

Oxidant Air Pollutants
Effects of oxidant air pollutants on pulmonary surfactant using two isolation procedures, 479

Oxidants
Applications of a method for setting air quality standards based on epidemiological data, 437
Oxygen-enhanced Burner
SITE program update: Part II. The SITE demonstration of the American combustion pyretron oxygen-enhanced burner, 149
Oxygen-enriched Incinerator
Derivation of oxygen correction factors for oxygen-enriched incinerators, 1462
Ozone
A reassessment of the economic effects of ozone on U.S. agriculture, 960
Health effects of ozone: a critical review, 672
Health effects of ozone. Critical review discussion papers, 1185
Important considerations for establishing a secondary ozone standard to protect vegetation, 1039
Indoor ozone exposures, 1562
Measurement of ozone levels by ship along the Eastern Shore of Lake Michigan, 727
Nonmethane organic compound to nitrogen oxide ratios and organic composition in cities and rural areas, 936
Ozone production from irradiation of acetylene/chlorine mixtures in air, 1467
Ozone trends in Atlanta, Georgia: have emission controls been effective?, 40
Response of eastern hardwood species to ozone, sulfur dioxide and acid precipitation, 852
The need for a more robust ozone air quality standard, 1063
The role of atmospheric chemistry in climate change, 22
Ozone Chamber Studies
Predicting respiratory morbidity from pulmonary function tests: a reanalysis of ozone chamber studies, 1313
Ozone Concentration
The role of atmospheric chemistry in climate change, 22
Ozone Exposure
Adaptation by older individuals repeatedly exposed to 0.45 parts per million ozone for two hours, 194
Ozone Levels
Ozone trends in Atlanta, Georgia: have emission controls been effective?, 40
Ozone Reduction
Determination of room temperature OH rate constants for acetylene, ethylene dichloride, ethylene dibromide, p-dichlorobenzene and carbon disulfide, 453
Particle-characterization Reactor
Rotary kiln incineration II. Laboratory-scale desorption and kiln-simulator studies—solids, 187
Particle Size Distribution
Characterization of particulate emissions from non-ferrous smelters, 169
Particulate Control Equipment
Predicting the performance of particulate control equipment, 1585
Particulate Controls
Trace element content of *Flavoparmelia caperata* (L.) hale due to industrial emissions, 317
Particulate Emissions
Characterization of particulate emissions from non-ferrous smelters, 169
Particulates
See also PM-10
Air levels and mutagenicity of PM-10 in an indoor ice arena, 1583
Particulate and nicotine sampling in public facilities and offices, 1577
Particulates, Chemical Analysis
Characterization of particulate emissions from non-ferrous smelters, 169
p-Dichlorobenzene
Determination of room temperature OH rate constants for acetylene, ethylene dichloride, ethylene dibromide, p-dichlorobenzene and carbon disulfide, 453
Penicillin Particles
Potentially allergenic airborne particles in the vicinity of a yeast and penicillin production plant, 1094
Pennsylvania
Evaluation of vegetation near coal-burning power plants in Southwestern Pennsylvania. Part I. Sulfur content of foliage, 1440
Pentachlorophenols (PCP)
Atmospheric chemistry of chlorinated phenols, 820
Personal Air Quality Model (PAQM)
Estimating the effect of being indoors on total personal exposure to outdoor air pollution, 1453
Pesticides
Chemical and biological characterization of products of incomplete combustion from the simulated field burning of agricultural plastic, 836
Petroleum Industry
The basic economics of hydrocarbon vapor control, 1008
Photochemical Tropospheric Models
Ambient air hydroxyl radical concentrations: measurements and model predictions, 704
Photolysis
Determination of room temperature OH rate constants for acetylene, ethylene dichloride, ethylene dibromide, p-dichlorobenzene and carbon disulfide, 453
Photooxidation
Ozone production from irradiation of acetylene/chlorine mixtures in air, 1467
Phytotoxicity
Differential cadmium accumulation and phytotoxicity in sixteen tobacco cultivars, 1319
Pile Burning
Chemical and biological characterization of products of incomplete combustion from the simulated field burning of agricultural plastic, 836
Pilot Scale Furnace
Reburning for cyclone boiler NO_x control, 107
Pilot Scale Tests
The SITE demonstration of the Shirco electric infrared incinerator, 815
Plastic
Chemical and biological characterization of products of incomplete combustion from the simulated field burning of agricultural plastic, 836
Plume
A jet plume model for short stacks, 856
Split-level plumes, 847
PM-10
See also Particulates
Air levels and mutagenicity of PM-10 in an indoor ice arena, 1583
Chemical characteristics of PM_{10} aerosols collected in the Los Angeles area, 154
Receptor models in air resources management: A summary of the APCA International Specialty Conference, 419
Polycyclic Aromatic Hydrocarbons (PACs)
Basic research on the emission of polycyclic aromatic hydrocarbons caused by waste incineration, 1557
Potentially Responsible Parties
Using mediation to reach voluntary superfund settlement agreements, 1297
Power Plants
Nonmethane organic compound to nitrogen oxide ratios and organic composition in cities and rural areas, 936
Split-level plumes, 847
Primary Combustor
Rotary kiln incineration II. Laboratory-scale desorption and kiln-simulator studies—solids, 187
Principal Organic Hazardous Constituents (POHC)
Effect of refractory on the thermal stability of SF_6, 310
On the relationship between CO, POHC, and PIC emissions from a simulated hazardous waste incinerator, 321
Screening approach for principal organic hazardous constituents and products of incomplete combustion, 709
Product Guide
Product guide/1989, 381
Product Recycle
Removal of SO_2 and N_x from stack gas by reaction with calcium hydroxide solids, 175
Products of Incomplete Combustion (PIC)
Chemical and biological characterization of products of incomplete combustion from the simulated field burning of agricultural plastic, 836
On the relationship between CO, POHC, and PIC emissions from a simulated hazardous waste incinerator, 321
Sampling and analysis experiments for improved characterization of products of incomplete combustion, 969
Screening approach for principal organic hazardous constituents and products of incomplete combustion, 709
Use of bioassay methods to evaluate mutagenicity of ambient air collected near a municipal waste combustor, 1436
Pulmonary Function
Adaptation by older individuals repeatedly exposed to 0.45 parts per million ozone for two hours, 194
Health effects of ozone: a critical review, 672
Inhalation route effects on exposure to 2.0 parts per million sulfur dioxide in normal subjects, 1448
Pulmonary function changes associated with an air pollution episode in January 1987, 1444
Pulmonary Function Tests
Indoor exposure to airborne particles and nitrogen dioxide during an air pollution episode, 1348
Predicting respiratory morbidity from pulmonary function tests: a reanalysis of ozone chamber studies, 1313
Pulmonary Surfactant
Effects of oxidant air pollutants on pulmonary surfactant using two isolation procedures, 479
Pulverized Coal
Reburning for cyclone boiler NO_x control, 107
Pyrolysis Kinetics
Computer simulation of a municipal solid waste combustor, 1328
Quality Assurance
Accuracy assessment of EPA protocol gases in 1988, 1225
Site program update: Part IV. Quality assurance for the SITE program demonstrations, 431
Radiative Effects
The role of atmospheric chemistry in climate change, 22
Radon
EPA's perspective on risks from residential radon exposure, 915
Theoretical evaluation of indoor radon control using a carbon adsorption system, 305
Radon, Monitoring
Accuracy and precision of home radon monitoring and the effectiveness of EPA monitoring guidelines, 953
Reburning
Optimization of reburning for advanced NO_x control on coal-fired boilers, 1375
Reburning for cyclone boiler NO_x control, 107
Receptor Models
Receptor models in air resources management: A summary of the APCA International Specialty Conference, 419
Source fingerprints for receptor modeling of volatile organics, 469
Recycling
The impact of increased recycle rates on markets in Florida, 1544
Refractory
Effect of refractory on the thermal stability of SF_6, 310
Regulatory Aspects
Acceptable cancer risks: probabilities and beyond, 1046
Aggregate source-receptor relations for economic analysis of ambient regulations, 824
Relative Rate Method
Determination of room temperature OH rate constants for acetylene, ethylene dichloride, ethylene dibromide, p-dichlorobenzene and carbon disulfide, 453
Remedial Technologies
Summary of the NATO/CCMS Conference. The demonstration of remedial action technologies for contaminated land and groundwater, 1178
Report from Canada
Report from Canada, 258, 796, 1158
Research & Development
Hazardous waste minimization: Part XI. Federally sponsored waste minimization research and development for hazardous and non-hazardous wastes, 34
SITE program update: an introduction, 15
SITE program update: Part I. Overview of the Superfund Innovative Technology Evaluation (SITE) Program, 16
Stationary combustion NO_x control: a summary of the 1989 symposium, 1131

Residential Environments
Indoor/outdoor measurements of volatile organic compounds in the Kanawha Valley of West Virginia, 1086
Respiratory Effects
Health risks of short-term SO_2 exposure to exercising asthmatics, 831
Respiratory Response
Predicting respiratory morbidity from pulmonary function tests: a reanalysis of ozone chamber studies, 1313
Risk Analysis
Communicating risk under Title III of SARA: strategies for explaining very small risks in a community context, 271
Risk Assessment
Acceptable cancer risks: probabilities and beyond, 1046
EPA's perspective on risks from residential radon exposure, 915
Estimating the effect of being indoors on total personal exposure to outdoor air pollution, 1453
Health risks of short-term SO_2 exposure to exercising asthmatics, 831
Overview of proposed revisions to the superfund hazard ranking system, 801
Screening-level assessment of airborne carcinogen risks from uncontrolled waste sites, 461
The new standard environmental inventory questionnaire for estimation of indoor concentrations, 1411
The superfund remedial action decision process: a review of fifty records of decision, 1535
Risk Communication
Risk communication at the community level: European lessons from the Seveso directive, 1301
Rotary Kiln Incineration
Performance of high-temperature slagging rotary kiln incinerator, 884
Rotary kiln incineration II. Laboratory-scale desorption and kiln-simulator studies—solids, 187
Rotary kiln incineration III. An indepth study—kiln exit/afterburner/stack train and kiln exit pattern factor measurements during liquid CCl_4 processing, 944
Rotary kiln incineration IV. An indepth study—kiln exit, transition and afterburner sampling during liquid CCl_4 processing, 1073
The present and future EPA incineration research facility, 1309
Rotary Kiln Injection
Rotary kiln injection I. An indepth study—liquid injection, 63
Rural Areas
A study of the impact of industrial fluoride emissions on a rural environment, 1098
Nonmethane organic compound to nitrogen oxide ratios and organic composition in cities and rural areas, 936
Sample Analysis
Characterization of particulate emissions from non-ferrous smelters, 169
Emission of airborne bacteria from a hospital incinerator, 164
Sample Collection
Characterization of particulate emissions from non-ferrous smelters, 169
Emission of airborne bacteria from a hospital incinerator, 164
Samplers
Comparison of the annular denuder system and the transition flow reactor for measurements of selected dry deposition species, 1218
Sampling
Air levels and mutagenicity of PM-10 in an indoor ice arena, 1583
A study of the impact of industrial fluoride emissions on a rural environment, 1098
Chemical characteristics of PM_{10} aerosols collected in the Los Angeles area, 154
Design and testing of a new size classifying isokinetic sequential aerosol sampler, 1569
Evaluation of canisters for measuring emissions of volatile organic air pollutants from hazardous waste incineration, 1210
Inter-urban comparison of ambient volatile organic compound concentrations in U.S. cities, 729
Measurement of trace levels of atmospheric sulfur dioxide with a gold film sensor, 975
Monitoring of parts-per-billion levels of formaldehyde using a diffusive sampler, 44
Particulate and nicotine sampling in public facilities and offices, 1577
Potentially allergenic airborne particles in the vicinity of a yeast and penicillin production plant, 1094
Sampling and analysis experiments for improved characterization of products of incomplete combustion, 969
Screening approach for principal organic hazardous constituents and products of incomplete combustion, 709
Use of bioassay methods to evaluate mutagenicity of ambient air collected near a municipal waste combustor, 1436
Valveless sampling of ambient air for analysis by capillary gas chromatography, 1202
Sampling Filters
Measurement of the alkalinity of filter media, 58
Sampling Techniques
Errors in grab sample measurements of N_2O from combustion sources, 287
Saudi Arabia
Indoor-outdoor carbon monoxide concentrations at four sites in Riyadh, Saudi Arabia, 1100
Schoolchildren
Pulmonary function changes associated with an air pollution episode in January 1987, 1444
Selective Catalytic Reduction (SCR)
Stationary combustion NO_x control: a summary of the 1989 symposium, 1131
Seveso Directive
Risk communication at the community level: European lessons from the Seveso directive, 1301
Short Stack
A jet plume model for short stacks, 856
Site Contamination
Summary of the NATO/CCMS Conference. The demonstration of remedial action technologies for contaminated land and groundwater, 1178
SITE Emerging Technology Program
The U.S. environmental protection agency's SITE emerging technology program, 927
In Situ Sampling
Rotary kiln injection I. An indepth study—liquid injection, 63
Soil Extraction
EPA SITE demonstration of the terra vac in situ vacuum extraction process in Groveland, Massachusetts, 1054
Soil Washing
Results of treatment evaluations of a contaminated synthetic soil, 294
Solidification
SITE program update: Part III. Description of EPA SITE demonstration of the Hazcon stabilization process at the Douglassville, Pennsylvania superfund site, 282
Solid Waste
Report from the 17th Government Affairs Seminar: Some issues in waste management, 808
Rotary kiln incineration II. Laboratory-scale desorption and kiln-simulator studies—solids, 187
The impact of increased recycle rates on markets in Florida, 1544
Solid Waste Combustor
Computer simulation of a municipal solid waste combustor, 1328
Solid Waste Management
Use of bioassay methods to evaluate mutagenicity of ambient air collected near a municipal waste combustor, 1436
Solvents
Air quality management in Los Angeles: perspectives on past and future emission control strategies, 696
Sorbents
Some physico-chemical aspects of dry sorbent injection for removal of HCl and HF from waste incinerator flue gases, 55
Source Characterization
Receptor models in air resources management: A summary of the APCA International Specialty Conference, 419
Source fingerprints for receptor modeling of volatile organics, 469
Source Contribution
Chemical characteristics of PM_{10} aerosols collected in the Los Angeles area, 154
Source Fingerprints
Source fingerprints for receptor modeling of volatile organics, 469
Source Measurement
Source fingerprints for receptor modeling of volatile organics, 469
Source Receptor Relationships
Aggregate source-receptor relations for economic analysis of ambient regulations, 824
South Coast Air Quality Management District (SCAQMD)
Air quality management in Los Angeles: perspectives on past and future emission control strategies, 696
Spain
A study of the impact of industrial fluoride emissions on a rural environment, 1098
Spectroscopy
Time-resolved identification and measurement of indoor air pollutants by spectroscopic techniques: gaseous nitrous acid, methanol, formaldehyde and formic acid, 1344
Stabilization
SITE program update: Part III. Description of EPA SITE demonstration of the Hazcon stabilization process at the Douglassville, Pennsylvania superfund site, 282
Stabilization, Soil
Results of treatment evaluations of a contaminated synthetic soil, 294
Stack Gas
Removal of SO_2 and N_x from stack gas by reaction with calcium hydroxide solids, 175
State Implementation Plans
Receptor models in air resources management: A summary of the APCA International Specialty Conference, 419
Stationary Combustion Sources
Stationary combustion NO_x control: a summary of the 1989 symposium, 1131
Stationary Sources
Characterization of particulate emissions from non-ferrous smelters, 169
Statistical Analysis
Observations less than the analytical limit of detection: a new approach, 328
The need for a more robust ozone air quality standard, 1063
Statistical Model
Global emissions of nitrogen and sulfur oxides from 1860 to 1980, 180
Stratosphere
The role of atmospheric chemistry in climate change, 22
Sulfates
Measurement of the alkalinity of filter media, 58
Sulfur Dioxide
Advanced concepts in FGD technology: the SHU process with cooling tower discharge, 1262
Application of the active soda process for removing sulphur dioxide from flue gases, 1206
Applications of a method for setting air quality standards based on epidemiological data, 437
Comparison of enhanced and routine methods for measuring ambient low-level sulfur dioxide, 981
Dry deposition velocity as an indicator for SO_2 damage to materials, 446
Evaluation of vegetation near coal-burning power plants in Southwestern Pennsylvania. Part I. Sulfur content of foliage, 1440
Health risks of short-term SO_2 exposure to exercising asthmatics, 831
Inhalation route effects on exposure to 2.0 parts per million sulfur dioxide in normal subjects, 1448
Measurement of trace levels of atmospheric sulfur dioxide with a gold film sensor, 975
Response of eastern hardwood species to ozone, sulfur dioxide and acid precipitation, 852
Sulfur Dioxide, Removal
Removal of SO_2 and N_x from stack gas by reaction with calcium hydroxide solids, 175
Sulfur Hexafluoride
Effect of refractory on the thermal stability of SF_6, 310
Sulfur Oxides, Emissions
Global emissions of nitrogen and sulfur oxides from 1860 to 1980, 180

Superfund, Cleanup Site Disputes
Using mediation to reach voluntary superfund settlement agreements, 1297
Superfund Amendments and Reauthorization Act (SARA)
Communicating risk under Title III of SARA: strategies for explaining very small risks in a community context, 271
Overview of proposed revisions to the superfund hazard ranking system, 801
SARA Title III: pitfalls and practicalities, 29
Site program update: Part IV. Quality assurance for the SITE program demonstrations, 431
The superfund remedial action decision process: a review of fifty records of decision, 1535
Superfund Innovative Technology Evaluation Program (SITE)
EPA SITE demonstration of the terra vac in situ vacuum extraction process in Groveland, Massachusetts, 1054
SITE program update: an introduction, 15
SITE program update: Part I. Overview of the Superfund Innovative Technology Evaluation (SITE) Program, 16
SITE program update: Part II. The SITE demonstration of the American combustion pyretron oxygen-enhanced burner, 149
SITE program update: Part III. Description of EPA SITE demonstration of the Hazcon stabilization process at the Douglassville, Pennsylvania superfund site, 282
Site program update: Part IV. Quality assurance for the SITE program demonstrations, 431
The SITE demonstration of the Shirco electric infrared incinerator, 815
Superfund Soil Treatability Research Program
Results of treatment evaluations of a contaminated synthetic soil, 294
Surface Emissions
The role of atmospheric chemistry in climate change, 22
Surrogate
Effect of refractory on the thermal stability of SF_6, 310
Surrogate Soil
Results of treatment evaluations of a contaminated synthetic soil, 294
Survey
Industrial response to a waste minimization survey in Tennessee, 921
Survey Methods
Screening approach for principal organic hazardous constituents and products of incomplete combustion, 709
Sustainable Development
Report of the Fifth Canadian Environmental Government Affairs Seminar: a strategy for sustainable development, 139
Tennessee
Industrial response to a waste minimization survey in Tennessee, 921
Thermal Desorption, Soil
Results of treatment evaluations of a contaminated synthetic soil, 294
Thermal Destruction
See also Incineration
Effect of refractory on the thermal stability of SF_6, 310
Performance of high-temperature slagging rotary kiln incinerator, 884
Rotary kiln incineration III. An indepth study—kiln exit/afterburner/stack train and kiln exit pattern factor measurements during liquid CCl_4 processing, 944
Rotary kiln incineration IV. An indepth study—kiln exit, transition and afterburner sampling during liquid CCl_4 processing, 1073
Sampling and analysis experiments for improved characterization of products of incomplete combustion, 969
The SITE demonstration of the Shirco electric infrared incinerator, 815
Thermal Technology
The present and future EPA incineration research facility, 1309
Thermal Treatment
See also Incineration
Emission of airborne bacteria from a hospital incinerator, 164
On the relationship between CO, POHC, and PIC emissions from a simulated hazardous waste incinerator, 321
Rotary kiln incineration II. Laboratory-scale desorption and kiln-simulator studies—solids, 187
Rotary kiln injection I. An indepth study—liquid injection, 63
SITE program update: Part II. The SITE demonstration of the American combustion pyretron oxygen-enhanced burner, 149
Tobacco
Differential cadmium accumulation and phytotoxicity in sixteen tobacco cultivars, 1319
Total Suspended Particulates (TSP)
Applications of a method for setting air quality standards based on epidemiological data, 437
Toxic Organic Compounds
On the relationship between CO, POHC, and PIC emissions from a simulated hazardous waste incinerator, 321
Trace Element Concentrations
Trace element content of *Flavoparmelia caperata* (L.) hale due to industrial emissions, 317
Trace Gases
The role of atmospheric chemistry in climate change, 22
Transition Flow Reactor
Comparison of the annular denuder system and the transition flow reactor for measurements of selected dry deposition species, 1218
Treatment Evaluation
Results of treatment evaluations of a contaminated synthetic soil, 294
Trees
A wind tunnel study to design large, open-top chambers for whole-tree pollutant exposure experiments, 1549
Response of eastern hardwood species to ozone, sulfur dioxide and acid precipitation, 852
Trichloroethylene
EPA SITE demonstration of the terra vac in situ vacuum extraction process in Groveland, Massachusetts, 1054
Troposphere
The role of atmospheric chemistry in climate change, 22
Turbulent Flame Reactor
On the relationship between CO, POHC, and PIC emissions from a simulated hazardous waste incinerator, 321
Urban Areas
Nonmethane organic compound to nitrogen oxide ratios and organic composition in cities and rural areas, 936
Urban Pollution
Indoor-outdoor carbon monoxide concentrations at four sites in Riyadh, Saudi Arabia, 1100
Inter-urban comparison of ambient volatile organic compound concentrations in U.S. cities, 729
Utilities
Determination of baghouse performance from coal and ash properties: Part I, 228
Determination of baghouse performance from coal and ash properties: Part II, 361
Evaluation of vegetation near coal-burning power plants in Southwestern Pennsylvania. Part I. Sulfur content of foliage, 1440
Stationary combustion NO_x control: a summary of the 1989 symposium, 1131
Trace element content of *Flavoparmelia caperata* (L.) hale due to industrial emissions, 317
Vacuum Extraction Process
EPA SITE demonstration of the terra vac in situ vacuum extraction process in Groveland, Massachusetts, 1054
Vapor Burning
The basic economics of hydrocarbon vapor control, 1008
Vapor Control Equipment
The basic economics of hydrocarbon vapor control, 1008
Vegetation Effects
A wind tunnel study to design large, open-top chambers for whole-tree pollutant exposure experiments, 1549
Evaluation of vegetation near coal-burning power plants in Southwestern Pennsylvania. Part I. Sulfur content of foliage, 1440
Important considerations for establishing a secondary ozone standard to protect vegetation, 1039
Vehicular Emissions
Characterization of emissions from a methanol fueled motor vehicle, 48
Vehicle emission rate analysis for carbon monoxide hot spot modeling, 1334
Ventilating System
A jet plume model for short stacks, 856
Ventilation
Indoor ozone exposures, 1562
Visibility Studies
Design and testing of a new size classifying isokinetic sequential aerosol sampler, 1569
Visual Range
An analysis of visual range in the eastern United States under different meteorological regimes, 200
Volatile Organic Carbons
Ozone trends in Atlanta, Georgia: have emission controls been effective?, 40
Volatile Organic Compounds (VOC)
Determination of room temperature OH rate constants for acetylene, ethylene dichloride, ethylene dibromide, p-dichlorobenzene and carbon disulfide, 453
EPA SITE demonstration of the terra vac in situ vacuum extraction process in Groveland, Massachusetts, 1054
Estimating fugitive emissions of volatile compounds from equipment leaks, 1619
Evaluation of canisters for measuring emissions of volatile organic air pollutants from hazardous waste incineration, 1210
Indoor/outdoor measurements of volatile organic compounds in the Kanawha Valley of West Virginia, 1086
Inter-urban comparison of ambient volatile organic compound concentrations in U.S. cities, 729
Source fingerprints for receptor modeling of volatile organics, 469
Volatile Organic Sampling Train (VOST)
Sampling and analysis experiments for improved characterization of products of incomplete combustion, 969
Voluntary Settlement Agreements
Using mediation to reach voluntary superfund settlement agreements, 1297
Waste Collection Programs
Evaluation of a statewide matching grant program for the collection of household hazardous waste, 427
Waste Management
See also Hazardous Waste
Evaluation of a statewide matching grant program for the collection of household hazardous waste, 427
Report from the 17th Government Affairs Seminar: Some issues in waste management, 808
Waste Management Industry
Air and waste management markets in a shrinking world, 277
Waste Management News Department
ASME reports on combustion excursions from rotary kiln incinerators, 908
Center for hazardous waste management announces findings on superfund, 1404
EPA awards $5 million to five university consortiums to establish research centers, 406
EPA issues guidance to state officials for hazardous waste capacity assurance project, 130
EPA sets up two-year pilot program for tracking medical waste, 568
Forty-six states file assurance plans for waste capacity with the U.S. EPA, 1526
Iowa firms save money, benefit environment with award winning waste reduction projects, 1290
Making Superfund work; clean sites report recommends steps to improve the program, 260
Medical Waste Tracking Act of 1988 signed into law by President Reagan, 8
Model state legislation aims at reduction in hazardous waste generation, 1160
Reilly pledges "enforcement first" in redirected and prioritized superfund program, 1030
WHO issues report on heavy metal and PAH compounds from municipal incinerators, 792
Waste Minimization
Hazardous waste minimization: Part XI. Federally sponsored waste minimization research and development for hazardous and non-hazardous wastes, 34
Industrial response to a waste minimization survey in Tennessee, 921
Water Vapor
The role of atmospheric chemistry in climate change, 22